Biopolymers

Subject Index to Volumes 29 and 30

Please note that A refers to Volume 29 and B refers to Volume 30

A to B transition in DNA, counterion effects on, 877B
Ab initio calculations, 593B, 599B
Ab initio calculations, 929B
Absorption band, 639A
Absorption spectrum, 639A
Achiral molecules, 25B
Acid denaturation, 1065A
Acoustic mode vibrations, 555B
Actin, 1281B
Actin-binding protein profilin, 219B
Additivity of contributions, 1001B
Adiabatic potential energy map, 961A
Agarose, 1325A
Agarose gels, 1277A
Aib residue, 1057A
Ala-X peptides, 593B, 599B
Alginate, 1161B
Alginate aqueous solutions, viscoelastic properties, 1707A
Alkaline phosphatase signal peptide, 139A
All-atom model, 517A
α-amylase inhibitor, 695A
α-cyano ketones, 105A
α-deuterated glutamate residues, 847B
α-factor, 237A
α-factor receptor, 237A
α-helical conformation, 79A
α-helical domains, 211B
α-helical models, 205A
α-helical polypeptide, 645A
α-helical rods, 815B
α-helices, 171A, 719B
α-helix, 645A, 1045A
Alpha helix stability, hierarchical statistical–mechanical approach, 335B
—, with side-chain interactions, 335B
Alternative structures, stability, 753B
Amide III frequencies, 593B, 599B
Amino acid residues, 1001B
Amino acids, 509A, 533A, 107B, 121B
—, helical preferences, 533B
Amino acids and model compounds, 1243B
Amylopectin, gelation of, 1183B
Amylose, gelation of, 1183B
Analogues, 845A, 855A
—, of tridecapeptide amide H-Leu-$(Glu)_5$-Ala-Tyr-Gly-Nle-Asp-Phe-NH_2, 847B
Anisotropic tumbling, 469A
Antitumor agents, 97A
Aqueous solution, 1001B
Aqueous two-phase liquid system, 703B
Aromatic side chains, 179A
Arterial elastin, 729A
Artificial hemeproteins, 79A
Ascorbic acid, 39A
A-T base pairs, 707A
A-U base pairs, 707A
Autoxidation, 39A
Azetidine-2-carboxylic acid effect on proline peptide bond geometry, 1039B
Azetidine-2-carboxylic acid peptides, conformation, 951B, 961B, 967B

B to Z transition, 1261A
Backbone conformation, 855B
Bacterial elongation factor EF-Tu · guanosine-5′-diphosphate complex, hydrodynamic study, 299B
Base pair sequences, 717A
Base pairs, 1105A
Base specificity, 223B
B-DNA, 1193A
B-DNA hydration, 1453A
B-DNA structure, 517A
β-turned peptides, 189B
β-turns, 197B
βαβαβ structure, 135B
Bicyclic peptides, 509B
Binding, 449A, 481A, 785A, 823A, 901A, 1005A, 1137A, 1307A, 1331A, 223B
Binding/energy minimization, 1151B
Bioelastogenesis, 1401A
Bovine cAMP-dependent protein kinase, 131A
BPDE monomer, 1249A, 1261A
Branched (1→3)-β-D-glucans, 1689A
Brownian dynamics, 1773A, 547B
B-type conformations, 563B
B-Z transition, 1069A, 1495A, 1205B

$C^{\alpha,\alpha}$-diphenylglycine residue, 1B
Calf thymus DNA, 743B
Calmodulin, 1005A
—, interaction with myosin light chain kinase, 1139B
Calmodulin-dependent enzymes, 97A
Carbohydrate, 377A
Carboxypeptidase A, 45A
Carboxypeptidase A (CPA), 105A
Catabolite activator protein (CAP), 29A
Cation sensitivity, 1233A
Cationic dyes, binding, 1541A
CD, biphasic, 751A
—, induction of, 751A
—, monophasic, 751A
CD spectra, 317A, 325A, 385A
CD spectroscopy, 311A, 1289A, 33B, 657B, 821B
CD spectrum, 25B
CD studies, 25B
Chain collapse, 1823A
Chains, 883A
Charge distribution, 1351A
CHARMM, 799A
Chemical shifts, 1423A
Chemotherapeutic agents, 247A
Chemotherapeutic combinations, 247A
Chimeric polypeptides, 159A
Chirality, 211B
Chitosan, 751A
Circular dichroism, 1061B
—, of myosin light chain kinase, 1139B
Circular dichroism (CD) microscopy, 405B
Circular dichroism studies, of opioid peptides, 899B

Coagulation, 1233A
Coiled coils, denaturation of, 921B, 985B, 1231B
—, helix-coil transition of, 985B, 1231B
—, helix-random transition of, 921B
—, unfolding of, 921B, 985B, 1231B
Collagen, 791A, 1185A, 889B
Collagen fibrils, 1015A
Collagen-like polypeptides, conformation, 967B
Comparative gel electrophoresis, 29A
Computational modeling, 239B
Computer simulations, 943A
Conductometric titrations, 1541A
Conf-Gen, 225A
Configurations, 481B
Conformation, 317A, 347A, 377A, 407A, 461A, 855A, 855B, 935A, 943A, 961A, 977A, 1077A, 1243A, 1297A, 1367A, 1387A, 1499A, 1549A, 1B, 33B, 45B, 73B, 135B, 197B, 205B, 657B, 743B, 763B, 1123B
Conformational analysis, 1011B
—, of opioid peptides, 899B
Conformational calculations, 1503A, 1519A
Conformational energy computation, peptides, 951B, 961B, 967B
Conformational flexibility, 961A, 977A
Conformational free energy, 1011B
Conformational sampling, 1847A
Conformational search, 1011B
Conformational studies, of melanin concentrating hormone, 1291B
Conformation-energy calculation, 1057A
Conformations, 263A, 609A, 623A, 823A, 837A, 1057A, 1069A, 1433A, 1565A, 257B, 273B, 381B, 395B, 437B, 451B, 499B, 509B
Conformers, 369B
Constrained α-helical models, 205A
Cooperative kinetics, 1215B
Coulombic interaction, 999A
Counterion condensation theory, 1191B, 1205B
Counterion species, 477B
Counterions, 1027A
Covalent bonding, 247A
C-peptide helix, 1A
^{13}C relaxation rates, 461A
Crosslinking, 1045A
Cross-β structure, 1125A
Crystal structure, 935A, 73B
Crystalline complexes, 533A
Crystallographic ordered water sites, 771A
Crystals, 719B
^{13}C solids NMR, 1801A
C-terminal fragment (CTF), 205B
C-terminal peptide, 1289A
Cyclic dermorphin analogues, 89A
Cyclic pentapeptides, 263A
Cyclic peptide structures, 1387A
Cyclic peptides, 189B
Cyclic structures, 45B
Cyclolinopeptide A (CLPA), 1499A
Cyclopeptides, 583B
Cyclosporin, 1005A
Cyclosporin A (CPA), 1669A
Cys-199, 131A
Cytoplasm, 995B

Data base searches, 813A
5′ dangling-ended DNA hairpins, 829B
5′-dCMP atomic charge values, 349B
Decal of/effect of ligand, 1151B
Decapeptides, 719B
Degradation, 549A
Dehydropeptides, crystal and molecular structure of, 911B
—, synthesis of, 911B
Dehydrophenylalanine, peptides containing, 911B
Dehydroresidues, 935A
Denaturation, 279B
Density fluctuations, 1401A
Depolarized dynamic light scattering (DDLS), 93B, 219B
Depolarized dynamic light scattering study, of transfer RNA, 975B
Depsipeptide analogues, 1633A, 1651A
Derivative measurements, 1129A
Dichroism, 751A
Dielectric measurements, 1185A
Dielectric relaxation peak, 649B
Differential polarization microscopy, 405B
Differential scanning calorimetry (DSC), 1699A
Diffusions, 1101B
Dihedral angles distribution, 499B
Dinucleotide periodicities, 861B
Dipoles, 1367A
Distance geometry algorithm, 45B
Distance geometry algorithms, 1565A
Distinct gelation mechanism, 1689A
Dithiothreitol (DTT), 559A
Divalent cations, 481A
DNA, 13A, 29A, 69A, 289A, 385A, 393A, 449A, 481A, 597A, 717A, 737A, 757A, 785A, 823A, 883A, 953A, 1069A, 1089A, 1137A, 1161A, 1167A, 1193A, 1211A, 1307A, 1351A, 1409A, 1191B, 1205B
—, condensation, 619B, 631B
—, dynamic bending rigidity, 229B
—, equilibrium persistence lengths, 229B
—, length, 619B
—, photoelectron imaging, 1491A
—, rigidity problem, 279B
DNA alkylation, 597A
DNA bond angle, 29A
DNA fibers, 555B
DNA films, mechanical properties, 279B
DNA fragments, 491A, 737A
DNA hair pins, 1715A
DNA hexamers, 1409A
DNA melting, 13A
DNA polymer spectroscopy, 87B
DNA restriction fragments, 309B
DNA sequences, 317A
DNA solutions, 57B, 803B
DNA structure, stabilization, 649B
DNA–small molecule interactions, 449A
Drug–DNA binding specificity, 223B
Drug–DNA interactions, 717A
Duplex DNA, 785A, 823A
Duplex stability, 609B
Dynamic and static light scattering, 1101B
Dynamic light scattering, 441A, 1281B
—, depolarized, of transfer RNA, 975B
Dynamic light scattering (DLS), 303A, 1211A, 93B, 219B
Dynamic light scattering studies, 427B
Dynamic programming, 1755A

Eigenvectors, 87B
Elastase, 773B, 781B
Elastin, 729A, 845A, 855A, 1147A, 1613A, 1699A
Elastomeric restoring force, 1613A
Electric field, 1161A
Electrolyte concentration, 803B
Electrolyte concentrations, 57B
Electron microscopy, 631B
Electron microscopy of polymers, 1161B

Electron nuclear double resonance (ENDOR) spectroscopy, 45A
Electronic absorption spectrum, 151B
Electrophoresis, 491A
Electrophoretic charge density, 1167A
Electrostatic interactions, 1015A
Electrostatically driven Monte Carlo (EDMC) method, 165B
Energy minimization, 1011B
Enkephalin analog, 1011B
Enkephalin analogues, 179A
Enkephalins, 423A
Environment-dependent conformation, 763B
Enzyme **6**, 39A
Enzyme kinetics, enzyme deactivation, 1073B
—, Michaelis–Menten parameters, 1073B
—, random scission, 1073B
Epicatechin, 57A
Epitopes, 123A
Equilibrium partition function, 1105A
Escherichia coli, 139A, 159A
Euler–Maclaurin sum formula, 1793A
Europium (III) luminescence, 33B
Excimer fluorescence, 1249A
Excitation migration, 57A
Excluded volume, 1101B
External medium, 639A
Extra-helical peptides, 889B

F-actin networks, 677B
F-actin/filamin networks, 677B
FANTOM, 679A
Ferrichrome, solution conformations, 239B
Fibers, 1453A
Fibril, 889B
Fibril stabilization, 1015A
Fibrin clots, 559A
Fibrinogen, 559A
Fibronectin, 559A
Flory theory, 177B
Flow linear dichroism technique, 1735A
Fluorescence, 1249A
—, of calmodulin conjugates, 1139B
Fluorescence microscopy, 1167A
Fluorescence pattern, 491A
Fluorescence recovery after photobleaching (FRAP), 491A
Fluorescent nuclear signal peptides, 197A
Folding, 1105A
Force field calculations, oligomers, 1089A
Fourier transform infrared spectroscopy (FTIR), 289A
Fourier transform ir spectroscopy (FTIR), 837A
Free energy calculation, 717A
Fructofuranose (FF), conformations, 1599A
FTIR study, of gelation in amylose and amylopectin, 1183B

G-actin, 1281B
Gastric mucin, 1359A
Gel electrophoresis, 1277A, 1863A
Gel pore size, 309B
Gelation of amylose and amylopectin, studied by FTIR, 1183B
Gellan gum, 451B
Gels, 737A, 1233A, 1325A
Gelsolin molecule, 427B
—, conformational changes, 427B
Global unfolding, of immunoglobulin domains, 389B
Globular proteins, 1479A
—, shape, 1745A
—, size, 1745A
GLUT reaction, 871A
Glycoproteins, conformation, 1549A
Glycosylamines, 1531A

^{1}H-NMR spectroscopy, 239B
Hairpin transition temperatures, 829B
Hard-sphere mixtures, 1027B
Harmonic dynamics, 645A
H-bonding, 995B
Helices, thermal unfolding, 381B
Helichrome, 79A
Helix, 533B
Helix aggregation, 1835A
Helix repeats, 517A
Helix-coil transition, 357B
—, heats and entropies of transition, 1051B
—, in coiled coils, 985B, 1231B
—, in nonpolymerizable tropomyosin, 921B
—, in polypeptides, homopolypeptides, synthetic, 1051B
—, in segments of tropomyosin, 921B
—, in tropomyosin segments, 985B
—, in tropomyosin subsequences, 1231B
—, matrix method, 1051B
—, modification of statistical weights in, 1051B
—, normal, inverse, multiple, 1051B
—, solvent effects, 1051B
Helix–coil boundaries, 393A
Helix–coil stability constants, 107B, 121B
3_{10}-Helix structure, presence of, in dehydropeptides, 911B
Hemoglobin solutions, 871A
Heparin polymer, 733B
Heteropolymer collapse, 177B
Highly amphiphilic α-helices, 171A
High-temperature molecular dynamics, 1847A
His 12^+, 1A
Histone H1, charge distribution, 1351A
HIV virus, 171A
Homonuclear (δ, δ) spectroscopy, 953A
Human tracheobronchial mucin glycoproteins (HTBM), 347A
Hyaluronate, 1101B
—, bacterial, 1073B
—, digestion by hyaluronidase, 1073B
Hyaluronic acid (HA), molecular-weight dependence, 415B
—, temporary network formation, 415B
Hydration, 771A, 1147A, 1185A, 649B, 691B
—, structural effects, 1801A
Hydration of and intermolecular bonds in DNA, counterion effects on, 877B
Hydration shells, 563B
Hydrogen bonds, 757A, 1549A
Hydrogen isotope exchange, 1175A
Hydrogen-exchange rates, 389B
Hydrophobic interaction, 567A

IC receptor, 785A
Immunoglobulin domains, global fluctuations, 389B
Immunoglobulin IgG1, flexibility, 547B
In vitro, 549A
In vivo, 549A
Inextensible flexible filaments, 1773A
Interferon, 1065A
Internal dynamics, of transfer RNA, depolarized dynamic light scattering study, 975B
Internal loop formation, 393A
Inverse temperature transition, 1699A

Ionic interactions, 1089A
Ionic strength, stability dependence of nonpolymerizable tropomyosin, 921B
—, stability dependence of tropomyosin segments, 921B
IR spectra in H_2O, 1243B, 1259B, 1273B
Isodichroic point, in nonpolymerizable tropomyosin denaturation, 921B
—, in tropomyosin segments denaturation, 921B
Isomaltose conformers, 369B
Isotherms, 1129A
Isotopic substitution, 87B

Kinase/anisotropy, 1151B
Kinetic Ising model, 1215B
Kinetics, 39A

Langevin modes, 1409A
Lattices, 543A
Lens, 995B
Leu-enkephalin, 423A
Lewis blood group oligosaccharides, 1123B
Ligand binding, 1215B
Ligand binding isotherm, in multiple-ligand binding model, 1113B
—, numerical evaluation of, 1113B
Ligands, 543A, 1137A
Ligand–lattice binding, 543A
Light scattering, determination of depolymerization rate constants by, 1073B
—, dynamic, depolarized, of transfer RNA, 975B
—, time-dependent technique, 1073B
Light scattering experiments, 1401A
Linear (1→3)-β-D-glucans, 1689A
Linear anisotropy, 25B
Linear dichroism (LD) microscopy, 405B
Linear polyelectrolyte, 1161A
Lipid bilayers, 815B
Low molecular weight peptides, 197A
Low-energy conformation, 135B
Lysozyme, 1175A

M13mp19 circular single-strand DNA, 357A
Macromolecular crowding, 1027B
Macromolecular rotational diffusion, 469A
Macromolecular solution, 215A
Macromolecules, langevin modes, 1409A
—, partition parameters, 703B
Main-chain resonances, 691B
Manning polyelectrolyte theory, 451B
Manning's model, 325B
Matrix method, 481B, 1215B
Mechanochemical coupling, 215B
Melanin concentrating hormone (MCH), Beta-turn in, 1291B
—, NMR and conformational studies, 1291B
—, Two-dimensional NMR studies of, 1291B
Melanin-concentrating hormone (MCH), 609A, 623A
Melittin, 165B
Melting transitions, 1715A
Membrane transport proteins, 149A
Metal ion binding, 273B
Metal ions, 757A, 743B
Met-enkephalin, 423A
Metropolis Monte Carlo, 225A
Michaelis–Menten rate law, 549A
Minihelix, 1027A
Model energetics, 517B
Model peptides, dehydroalanine-containing, 395B
Modified n-terminal regions, 61A
Molecular dynamics, 645A, 1847A
Molecular dynamics (MD), 1613A, 1669A
Molecular dynamics (MD) simulation, 13B, 205B
Molecular dynamics calculations, 517B
Molecular dynamics simulation, 1027A, 781B
Molecular dynamics simulations, 517A, 623A, 799A, 977A, 1243A
—, application of NMR–NOE data to, 1083B
—, hydrogen bond analysis of, 1083B
—, restrained and unrestrained NVT simulations, 1083B
Molecular mechanics, 1599A, 517B, 1011B
Molecular modeling, 609A
Molecular superposition, 1011B
Molecular topology, 645B
Monolayers, 1121A
Monte Carlo computer simulation, 771A
Monte Carlo integration algorithm, 543A
Monte Carlo method, 135B, 165B
Monte Carlo modeling, 1161B
Monte Carlo simulations, 1453A, 547B, 563B, 1289B
Mouse satellite DNA, 861B
Mucins, 347A, 377A, 441A
Multiple-minima problem, 165B
Myosin light chain kinase, interaction with calmodulin, 1139B

N-acyl amino acid *N'*-methylamide, 1061B
N-acyl dipeptide *N'*-methylamide, 1061B
Natural DNA, 609B
Neutrophil Peptide-5 (NP-5), side chain conformations, 1807A
Newton–Raphson minimizer, 679A
Nikkomycin X, 1297A
Nitroxyl spin-labels, 45A
NMR, 943A
NMR conformational analysis, 583B
Non oriented gels, 753B
Nonideal solutions, 1027B
Nonpolymerizable tropomyosin, denaturation of, 921B
—, stability of, 921B
—, unfolding of, 921B
Nuclear magnetic resonance (NMR), 109A, 609A
Nuclear magnetic resonance (NMR) spectroscopy, 695A
Nuclear magnetic resonance studies, of opioid peptides, 899B
Nuclear Overhauser data (NOESY), 1123B
Nuclear-directed protein encodes, 197A
Nucleic acid chains, 1503A, 1519A
Nucleic acid duplexes, 707A
Nucleic acids, 999A, 1465A
—, hydration, 349B
—, protonation, 349B
Nucleosome positioning, 861B

Oligonucleotide photooxidation, 69A
Oligonucleotides, 69A, 953A
Oligosaccharides, 799A, 733B, 1123B
One-dimensional cooperative binding, a general secular equation matrix for, 1113B
—, of *n*-mer ligands, 1113B
One-dimensional interacting units, 481B
Opioid peptide, 1011B
Opioid peptides, in micellar systems, 899B
Optical activity, 25B
Optical anisotropy, 1289B
Order–disorder transition, 1867A

Oriented gels, 753B
Orthogonal spectra, 1273B
Ovine submaxillary mucin (OSM), viscoelastic properties, 1359A
Ovomucoid third domains, 461A
Oxidative photosensitization, 69A

P. falciparum, 123A
P. knowlesi, 123A
Packing motifs, 1835A
Papain, 549A
Parameter resolution, 1129A
Partial volume, 1001B
Particles, micron-sized; gel electrophoresis, 1863A
Partition parameters, 703B
PD charges, 1367A
Peoe (partial equalization of orbital electronegativity), 929B
Peptide affinity inactivator, 131A
Peptide backbone, Antiparallel β-sheet conformation, 73B
Peptide backbone motions, 461A
Peptide conformation, 951B, 1011B
Peptide conformations, 929B
Peptide crystals, 1835A
Peptide design, 1433A
Peptide hormone–receptor interaction, 237A
Peptide sequences, 1633A, 1651A
Peptide YY (PYY), 61A
Peptides, 179A, 205A, 225A, 289A, 311A, 423A, 509A, 533A
—, conformation, 1633A, 1651A
—, containing dehydroaminoacidic residues, 911B
—, structure, 1B
—, structure–activity, 943A
—, with proline, conformational studies, 287B
Peptide–cation complexes, 197B
Peptide–DNA interaction, 289A
Permanent dipole moment, 1137A
Persistence lengths, 1101B
Perturbative configuration interaction, 369B
Phase equilibria, 889B
Phase separation, 995B
Phase transition, 57B
Phosphate-methylated (P.M.) DNA oligomers, 609B
Phosphoglycerate, 1151B
Photobleaching, 491A
Photoelectron imaging, 1491A
Photon correlation spectroscopy, 677B
Photoreceptors, 1121A
Photoresponsive monolayers, 1121A
Plasmid, 159A
Poisson–Boltzmann equation, 325B
Polar solvents, 1243A
Polarized light spectroscopy, 1261A
Poly(L-Lysine), structural changes, 837A
Poly(azetidine-2-carboxylic acid), 961B
Poly(dA-dT), alternative structures, 753B
Poly(rI)·poly(rC), far-ir vibrational spectra, 477B
Polyacrylamide gels, 309B
Polyamines, 1495A
Polydispersity, 501A
Polyelectrolyte, 1101B, 1191B, 1205B
Polyelectrolytes, 1793A
Polymer theory, helix-coil transition, 1051B
Polymerization, 871A
Polymers at surfaces, 1161B
Polymers between two and three dimensions, 1161B
Polynucleotides, atomic structure, 1503A
—, conformational energy, 1503A
—, interaction with Ca^{2+} ions, 325B
Poly-Nγ-carbobenzoxy-L-α,γ-diaminobutyric acid, helix-coil transition, 1051B
Polypeptide, 645A
Polypeptide chains, 335A
Polypeptides, 679A, 791A, 921A
—, conformational energy, 961B, 967B
—, helix-coil transition, 357B
—, minimum energy conformations, 1755A
Polypeptides in α-, β- and random forms, 1259B
Polysaccharide flexibility, 1161B
Polysaccharides, 1161B
Poly-β-benzyl-L-aspartate, helix-coil transition, 1051B
Poly-γ-benzyl-L-glutamate, helix-coil transition, 1051B
Porcine submaxillary mucin (PSM), 441A
Porphyrins, 1307A
Principle of independence, 1331A
L-proline, Zimm–Bragg parameters, 107B
Proline, 287B
—, bond-optimized ring closure, 437B
Proline analog, conformation, 951B, 961B, 967B
Proline and azetidine-2-carboxylic acid tri and tetrapeptides, NMR, CD spectra, 1039B
—, peptide bond geometry, 1039B
—, synthesis, 1039B
Proline copolymers, 961B
Proline residues, 149A
Proline ring structures, 437B
Proteases, Serine proteases, 781B
Protein association, 567A
Protein denaturation, 1593A, 381B
Protein folding, 567A, 1479A, 1823A, 1877A, 177B
Protein kinase C (PKC), 97A
Protein rotational diffusion behavior, 469A, 501A
Protein secondary structure, 1243B, 1259B, 1273B
Protein/sodium dodecylsulfate (SDS) complexes, 335A
Proteins, 679A, 1001B
—, chemical shifts, 1423A
—, solvation, 1593A
—, solvent-accessible surface area, 1877A
Proteoglycan aggregate (PGA), 1587A
Proteoglycan subunit (PGS), 1587A
Proton spectrum, 465B
Pulsed-field gel electrophoresis (PFG), 737A

Quasielastic light scattering, 299B

Rabbit $tRNA^{Val}$, 1519A
Raman optical multichannel analysis (OMA), 1465A
Raman spectra, 707A
Raman spectroscopy, 743B
Random coil transitions, 1045A
Random fragments, 499B
Randomness, 733B
Rat vas deferens, 61A
Reaction field, 929B
Reactions, environmental control, 921A
Recombinant DNA technology, 645B
Recombinant human protein, 1065A
Regularization, 1273B
Regularization principle, 303A
17-residue peptide analogues, 1289A
Restrained energy minimization, 1387A
Reverse turns, 263A
Ribonuclease T_1–guanosine monophosphate complexes, energy minimization studies, 257B

Right-handed α-helices, 287B
RNA, 325A, 385A, 1105A
RNA transfer, phenylalanine, internal dynamics, depolarized dynamic light scattering study, 975B
Rotational isomeric state theory, 855A
Rouse-Zimm chain, 357A

Saccharides, conformational properties, 1531A
Salt linkages, 791A
Salts, 1707A
Scaled particle theory, 1027B
Scleroglucan, 1161B
Secondary-structure dependent chemical shifts, 1423A
Sedimentation, 299B
Self-association, 1077A
Semi-empirical energies, 437B
Semiflexible macromolecules, 883A
Sequential epitopes, 311A
Serine proteases, 583B, 773B
Side chains, 549A
Side-chain composition, 593B
Side-chain conformations, 1807A
Side-chain interactions, 1A, 335B
Side-chain resonances, 691B
Sieving, 1277A
Signal peptides, 139A
Simulated annealing, 225A
Simulation conformation, 13B
Single crystals, 151B
Single-step titration curve, 821B
Single-strand DNA, 357A
Single-stranded DNA, 13A
SIPP program, 303A
2-Site ligands, 1331A
Site-specific phosphate alkylation, 597A
Small-angle neutron scattering (SANS), 335A
Sodium–DNA interactions, 803B
Solubility, 889B
Solute–solvent hydrogen bonding, 901A
Solution fluctuation theory, 215A
Solvation, 929B
Solvent composition, 729A
Solvent environment, 1669A
Solvent-induced interactions, Thermodynamics, 901A
Solvents, 729A
Somatostatin analogues, 855B
Somatotropin, 645B
Spectrofluorometric titrations, 1541A
Spermine, 1495A
Spin–spin coupling constants, 109A
Stacking, 1077A
Static light scattering, 441A
Steady-state fluorescence anisotropy r, 57A
Stereoselectivity, 921A
Stereospecific assignments, 813A
Substance P (SP), 13B
Supercoiled DNA, 1735A
Superhelical DNA, 1211A
Synergism, 247A
Synthesis, 407A, 845A, 935A
Synthetic peptide helices, 719B
Synthetic polypeptide systems, 215B
Synthetic RNA, 325A, 385A

Teichoic acid, chiral conformation, 273B
Temperature dependence, 1001B
Tendamistat, 695A
—, noncarbonylic carbon-13 resonances, 465B
Terminally blocked alanine, 929B
Tetrapeptides, 89A
Thermal unfolding, 381B
Thermodynamic cycle-perturbation technique, 773B
Thermodynamics, 1593A
Thioamide, 1061B
Thymines, 797B
Thyrotropin-releasing hormone (TRH) analogue, 407A
Tomato bushy stunt virus (TBSV), 1443A
Transfer RNA, phenylalanine, internal dynamics, depolarized dynamic light scattering study, 975B
Transient electric birefringence (TEB), 737A
Transmembrane peptide topography, 815B
Transmembrane peptides, alamethicin, 1083B
—, characterization of molecular motions in, 1083B
Triamide systems, 763B
Triple-helical polysaccharide, 1867A
Trivalent cations, 619B, 631B
—, binding, 13A
tRNA, 93B
Tropomyosin, 657B
—, denaturation of, 1231B
—, stability of, 1231B
—, unfolding of, 1231B
Tropomyosin segments, circular dichroism of, 985B
—, denaturation of, 921B, 985B
—, stability of, 921B, 985B
—, unfolding of, 921B, 985B
Trypsin digestion, of myosin light chain kinase, 1139B
γ-turn, 1061B
Turns, 509A
Two dimensional NMR, of melanin concentrating hormone in water, 1291B
Two-chain coiled-coil proteins, 1045A
Two-level hierarchical methodology, 1519A
Type II β_t-turn, 1061B

Ultraviolet resonance Raman (UVRR) spectroscopy, 707A
Unconstrained polypeptide chains, 1565A
United atom model, 517A
UV photodimerization, 797B

Vacuum uv, 317A, 325A

Water-soluble porphyrins, 999A
Watson–Crick base pairs, 757A
Wormlike chains, 1289B
Wyman's binding polynomial analysis, 215A

Xanthan, 1161B
X-Pro bond, 149A
X-ray, 533A
X-ray diffraction, 1453A
X-ray diffraction studies, 1125A, 1325A
Xylinan, 1161B

Z-DNA, 1193A
Z-DNA single crystals, 151B
Zimm–Bragg parameters, 121B
Z-RNA, 109A
Z′ form, 821B

Biopolymers

Author Index to Volumes 29 and 30

Please note that A refers to Volume 29 and B refers to Volume 30

Abad-Zapatero, C.
—; Lin, C. T.: Statistical Descriptors for the Size and Shape of Globular Proteins, 1745A
Abagyan, R. A. See Eisenhaber, F., 563B
Adamiak, R. W. See Davis, P. W., 109A
Ahmad, F.
—; Bigelow, C. C.: Thermodynamics of Solvation of Proteins in Guanidine Hydrochloride, 1593A
Albaugh, S. See Garone, L., 1139B; Steiner, R. F., 1005A
Allegra, G.
—; Ganazzoli, F.; Bignotti, F.; Bolognesi, M.: Protein Folding and Chain Collapse, 1823A
Allison, S. A. See Song, L., 1773A
Altmann, K.-H.
—; Wójcik, J.; Vásquez, M.; Scheraga, H. A.: Helix–Coil Stability Constants for the Naturally Occurring Amino Acids in Water. XXIII. Proline Parameters from Random Poly(Hydroxybutylglutamine-co-L-Proline), 107B
—; Wójcik, J., 121B
Amaratunga, M. See Doktycz, M. J., 829B; Paner, T. M., 1715A
Amonraksa, K.
—; Simonetti, M.; Da Rin-Fioretto, S.; Mammi, S.; Peggion, E.: Synthesis and ^{1}H-NMR Studies of α-Deuterated Analogues of Des-Trp^1, Nle^{12}-Human Minigastrin, 847B
Ananikyan, N. S.
—; Hajryan, S. A.; Mamasakhlisov, E. S.; Morozov, V. F.: Helix-Coil Transition in Polypeptides: A Microscopical Approach, 357B
Anderson, J. S. See McCarthy, S. L., 785A, 823A
Anwander, E. H. S.
—; Probst, M. M.; Rode, B. M.: The Influence of Li^+, Na^+, Mg^{2+}, Ca^{2+}, and Zn^{2+} Ions on the Hydrogen Bonds of the Watson–Crick Base Pairs, 757A
Applequist, J. See Thomasson, K. A., 437B
Åqvist, J.
—; Tapia, O.: Molecular Dynamics Simulation of the Solution Structure of the C-Terminal Fragment of L7/L12 Ribosomal Protein, 205B
Arad, O.
—; Goodman, M.: Depsipeptide Analogues of Elastin Repeating Sequences: Conformational Analysis, 1651A
—; Goodman, M.: Depsipeptide Analogues of Elastin Repeating Sequences: Synthesis, 1633A
Arakawa, T.
—; Hsu, Y.-R.; Narachi, M. A.; Herrera, C.; Rohde, M. F.; Hennigan, P.: Reversibility of Acid Denaturation of Recombinant Interferon-γ, 1065A
Armstrong, R. N. See Zhang, P., 159A
Arscott, P. G.
—; Li, A.-Z.; Bloomfield, V. A.: Condensation of DNA by Trivalent Cations. 1. Effects of DNA Length and Topology on the Size and Shape of Condensed Particles, 619B
—; See Plum, G. E., 631B
Asaka, N. See Shinyashiki, N., 1185A
Atreyi, M. See Rao, M. V. R., 1495A
Attwood, T. K.
—; Sellen, D. B.: An X-Ray Diffraction Study of Agarose Gel as a Function of Concentration, 1325A

Baikalov, I. A. See Kalnin, N. N., 1273B
Baker, B. I. See Brown, D. W., 609A
Balaji, P. V.
—; Saenger, W.; Rao, V. S. R.: Computer Modeling Studies of Ribonuclease T_1–Guanosine Monophosphate Complexes, 257B
Balaram, H. See Karle, I. L., 1433A
Balaram, P. See Karle, I. L., 1433A, 1835A, 719B
Balasubramanian, D. See Neela, B. S., 1499A
Baldwin, R. L. See Shoemaker, K. R., 1A
Barone, V. See Crisma, M., 1B
Basch, H. See McCarthy, S. L., 785A, 823A
Bassolino, D. A. See Kominos, D., 1807A
Bazile, D.
—; Guittet, E.; Piriou, J.-M.; Lebret, M.; Paoletti, J.: An Ellipticine Derivative (Oxazolopyridocarbazolium) 3′ Linked to Tetrathymidylate Stacks Intramolecularly with the Nearest Thymine at Low Concentration and Head-to-Tail Intermolecularly at High Concentration, 1077A
Becka, R. See Lamba, O. P., 1465A
Becker, J. M. See Krainer, E., 1297A; Naider, F., 237A
Bendich, A. J. See Smith, S. B., 1167A
Benedetti, E. See Di Blasio, B., 509B; Grimaldi, M., 197B
Benight, A. S. See Doktycz, M. J., 829B; Paner, T. M., 1715A; Wilson, D. H., 357A
Ben-Naim, A.
Solvent Effects on Protein Association and Protein Folding, 567A
—; Ting, K. L.; Jernigan, R. L.: Solvent Effect on Binding Thermodynamics of Biopolymers, 901A
Berg, O. G.
The Influence of Macromolecular Crowding on Thermodynamic Activity: Solubility and Dimerization Constants for Spherical and Dumbbell-Shaped Molecules in a Hard-Sphere Mixture, 1027B

Berman, E. See Itzhaki, L., 481A
Berman, H. M. See Subramanian, P. S., 771A
Bermel, W. See Kessler, H., 465B
Beveridge, D. L. See Subramanian, P. S., 771A
Bhandary, K. K. See Raj, P. A., 73B
Bigelow, C. C. See Ahmad, F., 1593A
Bignotti, F. See Allegra, G., 1823A
Billeter, M.
—; Schaumann, Th.; Braun, W.; Wüthrich, K.: Restrained Energy Refinement with Two Different Algorithms and Force Fields of the Structure of the α-Amylase Inhibitor Tendamistat Determined by NMR in Solution, 695A
Bina, M. See Lowman, H., 861B
Birrell, G. B. See Griffith, O. H., 1491A
Blackwell, J. See Gupta, R., 347A; Soby, L., 1587A; Soby, L. M., 1359A; Varma, B. K., 441A
Blake, R. D.
—; Delcourt, S. G.: Electrostatic Forces at Helix–Coil Boundaries in DNA, 393A
Bloomfield, V. A. See Arscott, P. G., 619B; Plum, G. E., 13A, 1137A, 631B
Blout, E. R. See Di Blasio, B., 509B
Boisvert, W. E. See Mustafi, D., 45A
Bolognesi, M. See Allegra, G., 1823A
Bonora, G. M. See Crisma, M., 1B
Bracken, W. C. See Holtzer, M. E., 1045A
Brady, J. W. See Tran, V. H., 961A; 977A
Brant, D. A. See Stokke, B. T., 1161B
Braun, W. See Billeter, M., 695A; Schaumann, T., 679A; Senn, H., 1387A
Brochon, J.-C. See Mouawad, L., 1151B
Broido, M. S.
—; Mezei, M.: Computational Analysis of the Effects of Site-Specific Phosphate Alkylation in the DNA Oligomer $\{d\text{-}[GGAATTCC]\}_2$, 597A
Brooks, C. L., III See Constantine, K. L., 239B
Brown, D. W.
—; Campbell, M. M.; Kinsman, R. G.; White, P. D.; Moss, C. A.; Osguthorpe, D. J.; Paul, P. K. C.; Baker, B. I.: Melanin-Concentrating Hormone: A Structural and Conformational Study Based on Synthesis, Biological Activity, High-Field NMR, and Molecular Modeling Techniques, 609A
—; See Paul, P. K. C., 623A
Bruccoleri, R. E.
—; Karplus, M.: Conformational Sampling Using High-Temperature Molecular Dynamics, 1847A
Bruch, M. D. See Stradley, S. J., 263A
Bryant, R. G. See Kennedy, S. D., 1801A, 691B
Bryngelson, J. D.
—; Wolynes, P. G.: A Simple Statistical Field Theory of Heteropolymer Collapse with Application to Protein Folding, 177B
Buc, H. See Yeramian, E., 481B
Buck, H. M. See Moody, M. R., 609B
Bush, C. A. See Cagas, P., 1123B; Yan, Z.-Y., 799A
Buß, F. See Patkowski, A., 219B
Byers, L. D. See Reed, W. F., 1073B

Cagas, P.
—; Bush, C. A.: Determination of the Conformation of Lewis Blood Group Oligosaccharides by Simulation of Two-Dimensional Nuclear Overhauser Data, 1123B
Caines, G. H. See Morgan, C. F., 469A, 501A
Calogeropoulou, T. See Rideout, D., 247A
Campbell, M. M. See Brown, D. W., 609A; Paul, P. K. C., 623A
Carberry, S. E. See Swenberg, C. E., 1735A
Carlacci, L.
—; Chou, K.-C.: Monte Carlo Method Applied in the Search for Low-Energy Conformations of βαβαβ Structures, 135B
Carlson-Golab, G. See Geller, M., 781B
Carrier, D.
—; Mantsch, H. H.; Wong, P. T. T.: Pressure-Induced Reversible Changes in Secondary Structure of Poly(L-Lysine): An IR Spectroscopic Study, 837A
Case, D. A. See Kottalam, J., 1409A
Caudron, B. See Yeramian, E., 481B
Chandra Ghosh, T. See Kanta Pal, M., 273B
Chary, K. V. R. See Hosur, R. V., 953A
Chauhan, V. S. See Gupta, A., 395B; Narula, P., 935A; Patel, H. C., 509A
Chen, M. Y. See Macgregor, R. B., Jr., 1069A
Chen, S. H. See Guo, X. H., 335A
Chen, Y.-D.
—; A General Secular Equation for Cooperative Binding of *n*-mer Ligands to a One-Dimensional Lattice, 1113B
Cho, D.
—; Mattice, W. L.; Porter, L. J.: Anisotropy of the Fluorescence from the Monomer, Five Oligomers, and a Polymer of Epicatechin, 57A
Choi, H. U. See Soby, L., 1587A
Chou, K. C. See Maggiora, G. M., 211B
Chou, K.-C. See Carlacci, L., 135B
Christensen, S. M. See Marini, M. A., 871A
Chu, B.
—; Wang, Z.; Xu, R.; Lalande, M.: Study of Large DNA Fragments in Agarose Gels by Transient Electric Birefringence, 737A
—; See Wu, C., 491A
Ciajolo, M. R.
—; Tuzi, A.; Pratesi, C. R.; Fissi, A.; Pieroni, O.: Crystal and Molecular Structure of a Pentapeptide Containing Two Dehydrophenylalanine Residues, 911B
Cieplak, P.
—; Rao, S. N.; Grootenhuis, P. D. J.; Kollman, P. A.: Free Energy Calculation on Base Specificity of Drug–DNA Interactions: Application to Daunomycin and Acridine Intercalation into DNA, 717A
Clark, J. D. See Hodgkin, E. E., 533B

Clark, J. I.
Phase Separation and H-Bonding in Cells of the Ocular Lens, 995B
Clark, L. B. See Ho, P. S., 151B
Claverie, P. See Yeramian, E., 481B
Clore, G. M. See Nilges, M., 813A
Cohen, D. M.
—; Linhardt, R. J.: Randomness in the Heparin Polymer: Computer Simulations of Alternative Action Patterns of Heparin Lyase, 733B
Collawn, J. F.
—; Paterson, Y.: Stabilization of Helical Structure in Two 17-Residue Amphipathic Analogues of the C-Terminal Peptide of Cytochrome C, 1289A
Consonni, R. See Zetta, L., 899B
Constantine, K. L.
—; De Marco, A.; Madrid, M.; Brooks, C. L., III; Llinás, M.: The Solution Conformations of Ferrichrome and Deferriferrichrome Determined by ^{1}H-NMR Spectroscopy and Computational Modeling, 239B
Convert, O.
—; Mazaleyrat, J.-P.; Wakselman, M.; Morize, I.; Reboud-Ravaux, M.: NMR Conformational Analysis of Cyclopeptidic Substrates of Serine Proteases, Containing an *ortho* or *meta* Aminobenzoic Acid Residue, 583B
Cooper, T. M.
—; Woody, R. W.: The Effect of Conformation on the CD of Interacting Helices: A Theoretical Study of Tropomyosin, 657B
Cordone, L.
—; Cupane, A.; Leone, M.; Vitrano, E.: Thermal Behavior of the 760-nm Absorption Band in Photodissociated Sperm Whale Carbonmonoxymyoglobin at Cryogenic Temperature: Dependence on External Medium, 639A
Crippen, G. M.
—; Snow, M. E.: A 1.8 Å Resolution Potential Function for Protein Folding, 1479A
Crisma, M.
—; Valle, G.; Bonora, G. M.; De Menego, E.; Toniolo, C.; Lelj, F.; Barone, V.; Fraternali, F.: Structural Versatility of Peptides from $C^{\alpha,\alpha}$-Disubstituted Glycines: Preferred Conformation of the $C^{\alpha,\alpha}$-Diphenylglycine Residue, 1B
Crothers, D. M. See Zinkel, S. S., 29A
Cui, W. See Wilson, S. R., 225A
Cupane, A. See Cordone, L., 639A

Da Rin-Fioretto, S. See Amonraksa, K., 847B
Dasgupta, D.
—; Howard, F. B.; Sasisekharan, V.; Miles, H. T.: Drug–DNA Binding Specificity: Binding of Netropsin and Distamycin to Poly(d2NH$_2$A-dT), 223B
Dauber-Osguthorpe, P. See Paul, P. K. C., 623A
David, C. W. See Katz, E. P., 791A
Davis, P. W.
—; Adamiak, R. W.; Tinoco, I., Jr.: Z-RNA: The Solution NMR Structure of r(CGCGCG), 109A
De Marco, A. See Constantine, K. L., 239B; Zetta, L., 899B
De Menego, E. See Crisma, M., 1B
Deber, C. M.
—; Glibowicka, M.; Woolley, G. A.: Conformations of Proline Residues in Membrane Environments, 149A
DeGrado, W. See Goodman, M., iiiA
DeGrado, W. F.
—; Lear, J. D.: Conformationally Constrained α-Helical Peptide Models for Protein Ion Channels, 205A
Delcourt, S. G. See Blake, R. D., 393A
Demers, A. See Varma, B. K., 441A
Desideri, A. See Paradossi, G., 921A
Desmadril, M. See Mouawad, L., 1151B
Dev, S. B.
—; Walters, L.: Fourier Transform Infrared Spectroscopy for the Characterization of a Model Peptide–DNA Interaction, 289A
Dewey, T. G.
A Ligand Binding Model of Counterion Condensation to Finite Length Polyelectrolytes, 1793A
Di Blasio, B.
—; Benedetti, E.; Pavone, V.; Pedone, C.; Saviano, M.; Zanotti, G.; Blout, E. R.: Bicyclic Peptides: Solid State Conformation of cyclo(Glu-Leu-Pro-Gly-Lys-Leu-Pro-Gly)cyclo(1γ-5ϵ)Gly, 509B
—; See Pavone, V., 189B
Díaz, F. G.
—; Iniesta, A.; García de la Torre, J.: Hydrodynamic Study of Flexibility in Immunoglobulin IgG1 Using Brownian Dynamics and the Monte Carlo Simulations of a Simple Model, 547B
Dixon, J. S. See Peishoff, C. E., 45B
Doktycz, M. J.
—; Paner, T. M.; Amaratunga, M.; Benight, A. S.: Thermodynamic Stability of the 5′ Dangling-Ended DNA Hairpins Formed from Sequences 5′-(XY)$_2$GGATAC(T)$_4$GTATCC-3′, Where X, Y = A, T, G, C, 829B
—; See Paner, T. M., 1715A
Dorfmüller, T. See Patkowski, A., 427B
Dorfmüller, Th. See Patkowski, A., 93B, 219B, 975B, 1281B; Seils, J., 677B
Doud, S. K. See Kendall, D. A., 139A
Doughty, M. See Mobashery, S., 131A
Doyle, M. L.
—; Simmons, J. H.; Gill, S. J.: Analysis of Parameter Resolution from Derivatives of Binding Isotherms, 1129A
DuPré, D. B.
—; Houpt, D. J.: Multiple Helix-Coil Transitions, 1051B
Dwivedi, A. See Nonaka, Y., 999A

Eimer, W. See Patkowski, A., 93B, 975B, 1281B
Eisenberg, D.
—; Wesson, M.: The Most Highly Amphiphilic α-Helices Include Two Amino Acid Segments in Human Immunodeficiency Virus Glycoprotein 41, 171A
Eisenhaber, F.
—; Mannik, J. H.; Tumanyan, V. G.: Structural Principles of B-DNA Grooves Hydration in Fibers as

Revealed by Monte Carlo Simulations and X-Ray Diffraction, 1453A
—; Tumanyan, V. G.; Abagyan, R. A.: Structure of the Hydration Shells of Oligo(dA-dT)·Oligo(dA-dT) and Oligo(dA)·Oligo(dT) Tracts in B-Type Conformation on the Basis of Monte Carlo Calculations, 563B
Epstein, I. R. See Reiter, J., 543A; Schumaker, M. F., 1331A
Eriksson, M.
—; Eriksson, S.; Nordén, B.; Jernström, B.; Gräslund, A.: Excimer Fluorescence of (+)-*anti*-Benzo(*a*)pyrene Diol Epoxide Covalently Bound to Poly(dG-dC): Structural Implications, 1249A
—; Nordén, B.; Jernström, B.; Gräslund, A.: B to Z Transition in Poly(dG-dC) Modified with Benzo(*a*)pyrene Diol Epoxides Studied with Polarized Light Spectroscopy, 1261A
Eriksson, S. See Eriksson, M., 1249A
Eriotou-Bargiota, E. See Naider, F., 237A
Ewenson, A. See Naider, F., 237A

Fairman, R. See Shoemaker, K. R., 1A
Fasman, G. D.
—; Park, K.; Schlesinger, D. H.: Conformational Analysis of the Immunodominant Epitopes of the Circumsporozoite Protein of *Plasmodium Falciparum* and *knowlesi*, 123A
—; See Hollosi, M., 1549A, 1061B; Perczel, A., 763B
Fenley, M. O.
—; Manning, G. S.; Olson, W. K.: A Numerical Counterion Condensation Analysis of the B-Z Transition of DNA, 1205B
—; Manning, G. S.; Olson, W. K.: Approach to the Limit of Counterion Condensation, 1191B
Fishman, R. M. See Marini, M. A., 871A
Fissi, A. See Ciajolo, M. R., 911B
Flippen-Anderson, J. L. See Karle, I. L., 1433A, 1835A, 719B
Fogolari, F. See Manzini, G., 325B
Francq, W. See Verheyden, P., 855B
Fraser, R. R. S. See Molina-Garcia, A. D., 1443A
Fraternali, F.
Restrained and Unrestrained Molecular Dynamics Simulations in the NVT Ensemble of Alamethicin, 1083B
—; See Crisma, M., 1B
French, A. D.
—; Tran, V.: Analysis of Fructofuranose Conformations by Molecular Mechanics, 1599A
Froimowitz, M.
Conformational Search in Enkephalin Analogs Containing a Disulfide Bond, 1011B
Fujita, T. See Taga, T., 1057A
Fülöp, V. See Perczel, A., 763B
Fumero, J. See Hopkins, H. P., Jr., 449A

Ganazzoli, F. See Allegra, G., 1823A
García de la Torre, J. See Díaz, F. G., 547B; García Molina, J. J., 883A
García Molina, J. J.
—; López Martínez, M. C.; García de la Torre, J.: Computer Simulation of Hydrodynamic Properties of Semiflexible Macromolecules: Randomly Broken Chains, Wormlike Chains, and Analysis of Properties of DNA, 883A
Garone, L.
—; Albaugh, S.; Steiner, R. F.: The Secondary Structure of Turkey Gizzard Myosin Light Chain Kinase and the Nature of Its Interaction With Calmodulin, 1139B
Geacintov, N. E. See Swenberg, C. E., 1735A
Gehrig, C. A. See Matsunaga, T. O., 1291B
Geller, M.
—; Carlson-Golab, G.; Lesyng, B.; Swanson, S. M.; Meyer, E. F., Jr.: Dynamic Properties of the First Enzymatic Reaction Steps of Porcine Pancreatic Elastase. How Rigid Is the Active Site of the Native Enzyme? Molecular Dynamics Simulation, 781B
Genzel, L. See Weidlich, T., 477B
Germanas, J. P.
—; Kaiser, E. T.: Autoxidation of Ascorbic Acid Catalyzed by a Semisynthetic Enzyme, 39A
Gerothanassis, I. P. See Karayannis, T., 423A
Gevorkian, S. G.
—; Khudaverdian, E. E.: Mechanical Properties of DNA Films, 279B
Ghosh, S.
—; Li, X.; Reed, C. E.; Reed, W. F.: Apparent Persistence Lengths and Diffusion Behavior of High Molecular Weight Hyaluronate, 1101B
Ghosh, S. S.
Use of *t*-Butyldimethylsilyl Cyanoacetate for Preparation of α-Cyano Ketones, 105A
Gierasch, L. M. See Stradley, S. J., 263A
Gill, S. J. See Doyle, M. L., 1129A
Glibowicka, M. See Deber, C. M., 149A
Goodfellow, B. J.
—; Wilson, R. H.: A Fourier Transform Infrared Study of the Gelation of Amylose and Amylopectin, 1183B
Goodman, M.
Editor's Note to Special Issue in Memory of Emil Thomas Kaiser, iA
—; DeGrado, W.: Dedication to Special Issue in Memory of Emil Thomas Kaiser, iiiA
—; See Arad, O., 1633A, 1651A; Mierke, D. F., 179A; 943A
Gosline, J. M. See Lillie, M. A., 1147A
Govil, G. See Hosur, R. V., 953A
Grando, S. See Guantieri, V., 845A
Grant, J. A.
—; Williams, R. L.; Scheraga, H. A.: *Ab initio* SCF and Potential-dependent PEOE Calculations of Hydration Properties of *N*-acetyl-*N'*-methyl-alanineamide, 929B
Gräslund, A. See Eriksson, M., 1261A
Gray, D. M.
—; Johnson, K. H.; Vaughan, M. R.; Morris, P. A.; Sutherland, J. C.; Ratliff, R. L.: The Vacuum UV CD Bands of Repeating DNA Sequences Are Dependent on

Sequence and Conformation, 317A
—; See Johnson, K. H., 325A
Gregory, R. B.
—; Rosenberg, A.; Knox, D.; Percy, A. J.: The Thermodynamics of Hydrogen Isotope Exchange in Lysozyme: The Influence of Glycerol, 1175A
Griess, G. A.
—; Moreno, E. T.; Herrmann, R.; Serwer, P.: The Sieving of Rod-Shaped Viruses During Agarose Gel Electrophoresis. I. Comparison with the Sieving of Spheres, 1277A
—; Serwer, P.: Gel Electrophoresis of Micron-Sized Particles: A Problem and a Solution, 1863A
Griffith, O. H.
—; Habliston, D. L.; Birrell, G. B.; Schabtach, E.: Photoelectron Imaging of DNA, 1491A
Griko, N. B. See Timchenko, A. A., 303A
Grimaldi, M
—; Rossi, F.; Saviano, M.; Benedetti, E.; Pavone, V.; Pedone, C.: Stereochemical Behavior of Acyclic Peptide–Cation Complexes, 197B
Gronenborn, A. M. See Nilges, M., 813A
Grootenhuis, P. D. J. See Cieplak, P., 717A
Grygon, C. A.
—; Spiro, T. G.: UV Resonance Raman Spectroscopy of Nucleic Acid Duplexes Containing A-U and A-T Base Pairs, 707A
Guantieri, V.
—; Grando, S.; Pandolfo, L.; Tamburro, A. M.: Synthetic Fragments and Analogues of Elastin. I. The Synthesis, 845A
—; See Tamburro, A. M., 855A
Guittet, E. See Bazile, D., 1077A
Guo, X. H.
—; Zhao, N. M.; Chen, S. H.; Teixeira, J.: Small-Angle Neutron Scattering Study of the Structure of Protein/Detergent Complexes, 335A
Gupta, A.
—; Chauhan, V. S.: Synthetic and Conformational Studies on Dehydroalanine-Containing Model Peptides, 395B
Gupta, R.
—; Jentoft, N.; Jamieson, A. M.; Blackwell, J.: Structural Analysis of Purified Human Tracheobronchial Mucins, 347A
Guru Row, T. N. See Soman, J., 533A

Habliston, D. L. See Griffith, O. H., 1491A
Hajryan, S. A. See Ananikyan, N. S., 357B
Hamaguchi, K. See Kawata, Y., 389B
Hanlon, S. See Wilson, D. H., 357A
Harding, S. E. See Molina-Garcia, A. D., 1443A
Harel, D. See Unger, R., 499B
Harris, R. D. See Luan, C.-H., 1699A; Urry, D. W., 215B
Hartman, K. A. See Loprete, D. M., 753B
Havel, T. F.
The Sampling Properties of Some Distance Geometry Algorithms Applied to Unconstrained Polypeptide Chains: A Study of 1830 Independently Computed Conformations, 1565A
Hayashi, T.
—; Iwatsuki, M.: Biodegradation of Copoly(L-Aspartic Acid/L-Glutamic Acid) in Vitro, 549A
Hayes, L. See Urry, D. W., 215B
Henderson, J. See Wilson, D. H., 357A
Hennigan, P. See Arakawa, T., 1065A
Herrera, C. See Arakawa, T., 1065A
Herrmann, R. See Griess, G. A., 1277A
Hinde, R. J. See McCarthy, S. L., 785A, 823A
Hinssen, H. See Patkowski, A., 427B
Hirao, T.
—; Sato, T.; Teramoto, A.; Matsuo, T.; Suga, H.: Solvent Effects on the Cooperative Order–Disorder Transition of Aqueous Solutions of Schizophyllan, a Triple-Helical Polysaccharide, 1867A
Ho, P. S.
—; Zhou, G.; Clark, L. B.: Polarized Electronic Spectra of Z-DNA Single Crystals, 151B
Hodgkin, E. E.
—; Clark, J. D.; Miller, K. R.; Marshall, G. R.: Conformational Analysis and Helical Preferences of Normal and α,α-Dialkyl Amino Acids, 533B
Hollósi, M.
—; Kollát, E.; Kajtár, J.; Kajtár, M.; Fasman, G. D.: Chiroptical Labeling of Folded Polypeptide Conformations: The Thioamide Probe, 1061B
—; See Perczel, A., 763B
Hollosi, M.
—; Perczel, A.; Fasman, G. D.: Cooperativity of Carbohydrate Moiety Orientation and β-Turn Stability is Determined by Intramolecular Hydrogen Bonds in Protected Glycopeptide Models, 1549A
Holtzer, A.
—; Holtzer, M. E.: α-Helix-to-Random-Coil Transitions of Two-Chain Coiled Coils: The Use of Physical Models in Treating Thermal Denaturation Equilibria of Isolated Sub-Sequences of $\alpha\alpha$-Tropomyosin, 1231B
—; See Holtzer, M. E., 1045A; 985B; Mo, J., 921B
Holtzer, M. E.
—; Bracken, W. C.; Holtzer, A.: α-Helix to Random Coil Transitions of Two-Chain Coiled Coils: Experiments on the Thermal Denaturation of $\beta\beta$ Tropomyosin Cross-Linked Selectively at C36, 1045A
—; Holtzer, A.: α-Helix-to-Random-Coil Transitions of Two-Chain Coiled Coils: Experiments on the Thermal Denaturation of Isolated Segments of $\alpha\alpha$-Tropomyosin, 985B
—; See Holtzer, A., 1231B; Mo, J., 921B
Hopkins, H. P., Jr.
—; Fumero, J.; Wilson, W. D.: Temperature Dependence of Enthalpy Changes for Ethidium and Propidium Binding to DNA: Effect of Alkylamine Chains, 449A
Horrocks, W. D., Jr. See Klakamp, S. L., 33B

Hosur, R. V.
—; Chary, K. V. R.; Saran, A.; Govil, G.; Miles, H. T.: Determination of Solution Conformation of DNA Backbone: Application of Homonuclear (δ, δ) Spectroscopy, 953A
Houpt, D. J. See DuPré, D. B., 1051B
Howard, F. B. See Dasgupta, D., 223B
Hruby, V. J. See Matsunaga, T. O., 1291B
Hsu, Y.-R. See Arakawa, T., 1065A

Ichihara, T. See Taga, T., 1057A
Imberty, A. See Tvaroska, I., 369B
Iniesta, A. See Díaz, F. G., 547B
Ioannides, C. G. See O'Brian, C. A., 97A
Itoh, M. See Taga, T., 1057A
Itzhaki, L.
—; Weinberger, S.; Livnah, N.; Berman, E.: A Unique Binding Cavity for Divalent Cations in the DNA–Metal–Chromomycin A_3 Complex, 481A
Iwashita, T. See Minakata, H., 61A
Iwatsuki, M. See Hayashi, T., 549A

Jaggard, J. See Urry, D. W., 215B
Jamieson, A. M. See Gupta, R., 347A; Soby, L., 1587A; Soby, L. M., 1359A; Varma, B. K., 441A
Jaworski, J. See Rideout, D., 247A
Jentoft, N. See Gupta, R., 347A; Soby, L. M., 1359A; Varma, B. K., 441A
Jernigan, R. L. See Ben-Naim, A., 901A
Jernström, B. See Eriksson, M., 1249A, 1261A
Jessee, R. G. See Marini, M. A., 871A
Jockusch, B. M. See Patkowski, A., 219B; 1281B; Seils, J., 677B
Johnson, K. H.
—; Gray, D. M.; Morris, P. A.; Sutherland, J. C.: A·U and G·C Base Pairs in Synthetic RNAS Have Characteristic Vacuum UV CD Bands, 325A
—; See Gray, D. M., 317A
Johnson, W. C., Jr. See Zhong, L., 821B
Jovin, T. M. See Klement, R., 1089A; Vorlíčková, M., 385A

Kaiser, E. T. See Germanas, J. P., 39A; Kendall, D. A., 139A; Mobashery, S., 131A; Sasaki, T., 79A
Kajtár, J. See Hollósi, M., 1061B
Kajtár, M. See Hollósi, M., 1061B
Kálmán, A. See Perczel, A., 763B
Kalnin, N. N.
—; Baikalov, I. A.; Venyaminov, S. Yu.: Quantitative Infrared Spectrophotometry of Peptide Compounds in Water (H_2O) Solutions. III. Estimation of the Protein Secondary Structure, 1273B
—; See Venyaminov, S. Yu., 1243B; 1259B
Kanta Pal, M.
—; Chandra Ghosh, T.; Kanti Ghosh, J.: Studies on the Conformation of and Metal Ion Binding by Teichoic Acid of *Staphylococcus aureus*, 273B
—; Mandal, N.: Binding of Cationic Dyes to Potassium Alginate: A Spectrophotometric and Dichroic Probe, 1541A
Kanti Ghosh, J. See Kanta Pal, M., 273B
Karayannis, T.
—; Gerothanassis, I. P.; Sakarellos-Daitsiotis, M.; Sakarellos, C.; Marraud, M.: ^{17}O- and ^{14}N-NMR Studies of Leu-Enkephalin and Enkephalin-Related Fragments in Aqueous Solution, 423A
Karle, I. L.
—; Flippen-Anderson, J. L.; Uma, K.; Balaram, H.; Balaram, P.: Peptide Design: Influence of a Guest Aib-Pro Segment on the Stereochemistry of an Oligo-Val Sequence—Solution Conformations and Crystal Structure of Boc-$(Val)_2$-Aib-Pro-$(Val)_3$-OMe, 1433A
—; Flippen-Anderson, J. L.; Uma, K.; Balaram, P.: Helix Aggregation in Peptide Crystals: Occurrence of Either All Parallel or Antiparallel Packing Motifs for α-Helices in Polymorphs of Boc-Aib-Ala-Leu-Ala-Leu-Aib-Leu-Ala-Leu-Aib-OMe, 1835A
—; Flippen-Anderson, J. L.; Uma, K.; Balaram, P.: Synthetic Peptide Helices in Crystals: Structure and Antiparallel and Skewed Packing Motifs for α-Helices in Two Isomeric Decapeptides, 719B
Karplus, M. See Bruccoleri, R. E., 1847A; Perahia, D., 645A
Katakai, R.
—; Wanikawa, K.; Saga, K.: Experimental Evidence for Predicted Transmembrane Peptide Topography: Incorporation of Hydrophobic Peptide α-Helical Rods with an N-Terminal Positive Charge Having a Length Comparable to the Thickness of Lipid Bilayers into the Membranes, 815B
Katz, E. P.
—; David, C. W.: Energetics of Intrachain Salt-Linkage Formation in Collagen, 791A
Kaur, P. See Patel, H. C., 509A
Kawata, Y.
—; Hamaguchi, K.: Global Fluctuations of the Immunoglobulin Domains Under Physiological Conditions, 389B
Kendall, D. A.
—; Doud, S. K.; Kaiser, E. T.: A Comparative Analysis of Single- and Multiple-Residue Substitutions in the Alkaline Phosphatase Signal Peptide, 139A
Kennedy, S. D.
—; Bryant, R. G.: Hydration Effects on Dynamics of Polyglycine and Sodium Poly(L-Glutamate), 691B
—; Bryant, R. G.: Structural Effects of Hydration: Studies of Lysozyme by ^{13}C Solids NMR, 1801A
Kessler, H.
—; Schmieder, P.; Bermel, W.: Complete Assignment of the Noncarbonylic Carbon-13 Resonances of Tendamistat, 465B
—; See Lautz, J., 1669A
Khudaverdian, E. E. See Gevorkian, S. G., 279B
King, R. G. See Procyk, R., 559A
Kinsman, R. G. See Brown, D. W., 609A; Paul, P. K. C., 623A
Kitzing, E. V. See Klement, R., 1089A

Klakamp, S. L.
—; Horrocks, W. D., Jr.: The Europium(III)-Induced Conformational Transitions of Poly(dG-dC) · Poly(dG-dC) and Poly(dG-m^5dC) · Poly(dG-m^5dC) as Studied by Europium(III) Luminescence, UV, and CD Spectroscopy, 33B
Klement, R.
—; Soumpasis, D. M.; Kitzing, E. V.; Jovin, T. M.: Inclusion of Ionic Interactions in Force Field Calculations of Charged Biomolecules—DNA Structural Transitions, 1089A
Knox, D. See Gregory, R. B., 1175A
Kollát, E. See Hollósi, M., 1061B
Kollman, P. See Rao, S. N., 517A
Kollman, P. A. See Cieplak, P., 717A; Pearlman, D. A., 1193A
Kominos, D.
—; Bassolino, D. A.; Levy, R. M.; Pardi, A.: Analysis of Side-Chain Conformational Distributions in Neutrophil Peptide-5 NMR Structures, 1807A
Kopple, K. D. See Peishoff, C. E., 45B
Kottalam, J.
—; Case, D. A.: Langevin Modes of Macromolecules: Applications to Crambin and DNA Hexamers, 1409A
Kožár, T.
—; Tvaroška, I.: Theoretical Studies on the Conformation of Saccharides. XIV. Structure and Conformational Properties of the Glycosylamines, 1531A
Krainer, E.
—; Naider, F.; Becker, J. M.: Conformational Studies of Nikkomycin X in Aqueous Solution, 1297A
Krauss, M. See McCarthy, S. L., 785A, 823A
Kroon, J. See Kroon-Batenburg, L. M. J., 1243A
Kroon-Batenburg, L. M. J.
—; Kroon, J.: Solvent Effect on the Conformation of the Hydroxymethyl Group Established by Molecular Dynamics Simulations of Methyl-β-D-Glucoside in Water, 1243A
Kuwabara, S. See Umehara, T., 649B
Kypr, J. See Vorlíčková, M., 385A

Lalande, M. See Chu, B., 737A
Lamba, O. P.
—; Becka, R.; Thomas, G. J., Jr.: Adenine and Guanine 8CH Exchange in Nucleic Acids: Resolution and Measurement by Raman Optical Multichannel Analysis, 1465A
Langlais, M.
—; Tajmir-Riahi, H. A.; Savoie, R.: Raman Spectroscopic Study of the Effects of Ca^{2+}, Mg^{2+}, Zn^{2+}, and Cd^{2+} Ions on Calf Thymus DNA: Binding Sites and Conformational Changes, 743B
Lau, B. See Rokita, S. E., 69A
Lautz, J.
—; Kessler, H.; van Gunsteren, W. F.; Weber, H.-P.; Wenger, R. M.: On the Dependence of Molecular Conformation on the Type of Solvent Environment: A Molecular Dynamics Study of Cyclosporin A, 1669A
Lavalle, N.
—; Lee, S. A.; Rupprecht, A.: Counterion Effects on the Physical Properties and the A to B Transition of Calf-thymus DNA Films, 877B
Lear, J. D. See DeGrado, W. F., 205A
Lebret, M. See Bazile, D., 1077A
Lee, S. A. See Lavalle, N., 877B
Lelj, F. See Crisma, M., 1B
Leone, M. See Cordone, L., 639A
Lesyng, B.
—; Meyer, E. F., Jr.: Thermodynamic Cycle-Perturbation Study of the Binding of Trifluoroacetyl Dipeptide Anilide Inhibitors with Porcine Pancreatic Elastase, 773B
—; See Geller, M., 781B
Levine, M. J. See Raj, P. A., 73B
Levy, R. M. See Kominos, D., 1807A; Perahia, D., 645A
Li, A.-Z. See Arscott, P. G., 619B
Li, X. See Ghosh, S., 1101B
Lillie, M. A.
—; Gosline, J. M.: The Effects of Hydration on the Dynamic Mechanical Properties of Elastin, 1147A
Lin, C. T. See Abad-Zapatero, C., 1745A
Linhardt, R. J. See Cohen, D. M., 733B
Liskamp, R. M. See O'Brian, C. A., 97A
Livnah, N. See Itzhaki, L., 481A
Llinás, M. See Constantine, K. L., 239B
Lobl, T. J.
—; Mitchell, M. A.; Maggiora, L. L.: SV40 Large T-Antigen Nuclear Signal Analogues: Successful Nuclear Targeting with Bovine Serum Albumin but Not Low Molecular Weight Fluorescent Conjugates, 197A
Lombardi, A. See Pavone, V., 189B
Loosli, H.-R. See Senn, H., 1387A
López Martínez, M. C. See García Molina, J. J., 883A
Loprete, D. M.
—; Hartman, K. A.: Conditions for the Stability of the Alternative Structures of Duplex Poly-(dA-dT), 753B
Lowman, H.
—; Bina, M.: Correlation Between Dinucleotide Periodicities and Nucleosome Positioning on Mouse Satellite DNA, 861B
Lowrey, A. H. See Williams, R. W., 599B
Lu, D. S. See Nonaka, Y., 999A
Luan, C.-H.
—; Harris, R. D.; Prasad, K. U.; Urry, D. W.: Differential Scanning Calorimetry Studies of the Inverse Temperature Transition of the Polypentapeptide of Elastin and Its Analogues, 1699A

Macgregor, R. B., Jr.
—; Chen, M. Y.: $\Delta\bar{V}^0$ of the Na^+-Induced B-Z Transition of Poly[d(G-C)] is Positive, 1069A
Machida, K. See Taga, T., 1057A
Madrid, M. See Constantine, K. L., 239B
Maeda, S. See Shindo, Y., 405B
Maggiora, G. M.
—; Mezey, P. G.; Mao, B.; Chou, K. C.: A New Chiral Feature in α-Helical Domains of Proteins, 211B
Maggiora, L. L. See Lobl, T. J., 197A

Makhatadze, G. I.
—; Medvedkin, V. N.; Privalov, P. L.: Partial Molar Volumes of Polypeptides and Their Constituent Groups in Aqueous Solution over a Broad Temperature Range, 1001B
Makinen, M. W. See Mustafi, D., 45A
Malcolm, B. R.
—; Pieroni, O.: The Photoresponse of an Azobenzene-Containing Poly(L-Lysine) in the Monolayer State, 1121A
Mamasakhlisov, E. S. See Ananikyan, N. S., 357B
Mammi, S. See Amonraksa, K., 847B
Mandal, N. See Kanta Pal, M., 1541A
Mandel, M. See Sam, T., 299B
Manjula, M. V. See Neela, B. S., 1499A
Mannik, J. H. See Eisenhaber, F., 1453A
Manning, G. S. See Fenley, M. O., 1191B, 1205B
Mantsch, H. H. See Carrier, D., 837A
Manzini, G.
—; Xodo, L.; Fogolari, F.; Quadrifoglio, F.: Secondary Structure Effects on the Interaction of Different Polynucleotides with Ca^{2+}, 325B
Mao, B.
Molecular Topology and Dimerization of Recombinant Bovine Somatotropin, 645B
—; See Maggiora, G. M., 211B
Mapelli, C.
—; Van Halbeek, H.; Stammer, C. H.: Synthesis and Conformational Studies by ^1H- and ^{13}C-NMR Spectroscopy of a Novel, Sterically Constrained Analogue of Thyrotropin-Releasing Hormone, 407A
Marini, M. A.
—; Moore, G. L.; Christensen, S. M.; Fishman, R. M.; Jessee, R. G.; Medina, F.; Snell, S. M.; Zegna, A. I.: Reexamination of the Polymerization of Pyridoxylated Hemoglobin with Glutaraldehyde, 871A
Markley, J. L. See Robertson, A. D., 461A
Marraud, M. See Karayannis, T., 423A
Marshall, G. R. See Hodgkin, E. E., 533B
Marx, G.
Modeling Cation-Driven (Proto)Fibrin Coagulation, 1233A
Marzilli, L. G. See Strickland, J. A., 1307A
Mashiko, K. See Matsumoto, T., 1707A
Mashimo, S. See Shinyashiki, N., 1185A; Umehara, T., 649B
Matsumoto, T.
—; Mashiko, K.: Viscoelastic Properties of Alginate Aqueous Solutions in the Presence of Salts, 1707A
Matsunaga, T. O.
—; Gehrig, C. A.; Hruby, V. J.: ^1H NMR Assignments and Conformational Studies of Melanin Concentrating Hormone in Water Using 2-D NMR, 1291B
Matsuo, T. See Hirao, T., 1867A
Mattice, W. L. See Cho, D., 57A; Tanpipat, N., 377A
Mazaleyrat, J.-P. See Convert, O., 583B
Mazur, S. J.
—; Record, M. T., Jr.: Erratum: Association Kinetics of Site-Specific Protein-DNA Interactions: Roles of Nonspecific DNA Sites and of the Molecular Location of the Specific Site, 1329A
McCammon, J. A. See Zheng, C., 1877A
McCarthy, M. See Rideout, D., 247A
McCarthy, S. L.
—; Hinde, R. J.; Miller, K. J.; Anderson, J. S.; Basch, H.; Krauss, M.: The Binding of Substituted *cis*-Pt(II)-Diammines to Duplex DNA, 785A
—; Hinde, R. J.; Miller, K. J.; Anderson, J. S.; Basch, H.; Krauss, M.: Theoretical Studies of *cis*-Pt(II)-Diammine Binding to Duplex DNA, 823A
McCaskill, J. S.
The Equilibrium Partition Function and Base Pair Binding Probabilities for RNA Secondary Structure, 1105A
Medina, F. See Marini, M. A., 871A
Medvedkin, V. N. See Makhatadze, G. I., 1001B
Meyer, E. F., Jr. See Geller, M., 781B; Lesyng, B., 773B
Mezei, M. See Broido, M. S., 597A
Mezey, P. G. See Maggiora, G. M., 211B
Michael, D. See Morgan, C. F., 469A
Mierke, D. F.
—; Said-Nejad, O. E.; Schiller, P. W.; Goodman, M.: Enkephalin Analogues Containing β-Naphthylalanine at the Fourth Position, 179A
—; Schiller, P. W.; Goodman, M.: A Conformational Comparison of Two Stereoisomeric Cyclic Dermorphin Analogues Employing NMR and Computer Simulations, 943A
Milas, M.
—; Shi, X.; Rinaudo, M.: On the Physicochemical Properties of Gellan Gum, 451B
Miles, H. T. See Dasgupta, D., 223B; Hosur, R. V., 953A
Miller, K. J. See McCarthy, S. L., 785A, 823A
Miller, K. R. See Hodgkin, E. E., 533B
Minakata, H.
—; Iwashita, T.: Synthesis of Analogues of Peptide YY with Modified N-Terminal Regions: Relationships of Amphiphilic Secondary Structures and Activity in Rat Vas Deferens, 61A
Mitchell, M. A. See Lobl, T. J., 197A
Mo, J.
—; Holtzer, M. E.; Holtzer, A.: The Thermal Denaturation of Nonpolymerizable $\alpha\alpha$-Tropomyosin and Its Segments as a Function of Ionic Strength, 921B
Mobashery, S.
—; Doughty, M.; Kaiser, E. T.: Inactivation of the Catalytic Subunit of Bovine cAMP-Dependent Protein Kinase by a Peptide-Based Affinity Inactivator, 131A

Molina-Garcia, A. D.
—; Harding, S. E.; Fraser, R. R. S.: Physicochemical Studies on Tomato Bushy Stunt Virus Variants, 1443A
Moody, M. R.
—; van Genderen, M. H. P.; Buck, H. M.: Thermodynamics of Polymolecular Duplexes between Phosphate-Methylated DNA and Natural DNA, 609B
Moore, G. L. See Marini, M. A., 871A
Moreno, E. T. See Griess, G. A., 1277A
Morgan, C. F.
—; Schleich, T.; Caines, G. H.: Assessment of Protein Reorientational Diffusion in Solution by ^{13}C Off-Resonance Rotating Frame Spin–Lattice Relaxation: Effect of Polydispersity, 501A
—; Schleich, T.; Caines, G. H.; Michael, D.: Assessment of Protein Reorientational Diffusion in Solution by ^{13}C Off-Resonance Rotating Frame Spin–Lattice Relaxation: Effect of Anisotropic Tumbling, 469A
Morize, I. See Convert, O., 583B
Morozov, V. F. See Ananikyan, N. S., 357B
Morris, P. A. See Gray, D. M., 317A; Johnson, K. H., 325A
Moss, C. See Paul, P. K. C., 623A
Moss, C. A. See Brown, D. W., 609A
Mouawad, L.
—; Desmadril, M.; Perahia, D.; Yon, J. M.; Brochon, J.-C.: The Effects of Ligands on the Conformation of Phosphoglycerate Kinase. Fluorescence Anisotropy Decay and Theoretical Interpretation, 1151B
Mustafi, D.
—; Boisvert, W. E.; Makinen, M. W.: Structure and Conformation of the Nitroxyl Spin-Label Ethyl 3-(2,2,5,5-Tetramethylpyrrolinyl-1-Oxyl)-Propen-2-Oate Determined by Electron Nuclear Double Resonance: Comparison with the Structure of a Spin-Label Substrate of Carboxypeptidase A, 45A
Naider, F.
—; Yaron, A.; Ewenson, A.; Tallon, M.; Xue, C.-B.; Srinivasan, J. V.; Eriotou-Bargiota, E.; Becker, J. M.: Synthetic Probes for the α-Factor Receptor, 237A
—; See Krainer, E., 1297A
Nakamoto, K. See Nonaka, Y., 999A
Narachi, M. A. See Arakawa, T., 1065A
Narula, P.
—; Patel, H. C.; Singh, T. P.; Chauhan, V. S.: Synthesis, Crystal Structure, and Molecular Conformation of N-Boc-L-Phe-Dehydro-Leu-L-Val-OCH_3, 935A
Neela, B. S.
—; Manjula, M. V.; Ramakumar, S.; Balasubramanian, D.; Viswamitra, M. A.: Conformation of Cyclolinopeptide Dihydrate: An Antamanide Analogue, 1499A
Nel, A. J. See Osthoff, G., 311A
Némethy, G. See Zagari, A., 951B, 961B, 967B
Nilges, M.
—; Clore, G. M.; Gronenborn, A. M.: ^1H-NMR Stereospecific Assignments by Conformational Data-base Searches, 813A
Nishio, M. See Shindo, Y., 25B, 405B
Nolte, G. See Porschke, D., 1289B
Nonaka, Y.
—; Lu, D. S.; Dwivedi, A.; Strommen, D. P.; Nakamoto, K.: IR and Raman Spectroscopic Studies on Coulombic Interaction Between Water-Soluble Porphyrins and Nucleic Acids, 999A
Nordén, B. See Eriksson, M., 1249A, 1261A

O'Brian, C. A.
—; Ioannides, C. G.; Ward, N. E.; Liskamp, R. M.: Inhibition of Protein Kinase C and Calmodulin by the Geometric Isomers *Cis*- and *Trans*-Tamoxifen, 97A
Olson, W. K. See Fenley, M. O., 1191B, 1205B
Osguthorpe, D. J. See Brown, D. W., 609A; Paul, P. K. C., 623A
Osthoff, G.
—; Nel, A. J.: Far-UV CD Spectroscopy, IR Spectroscopy, and Immunological Properties of Synthetic Peptides, Including an Amphipathic α-Helical Peptide from Bovine Phospholipase A_2, 311A
Overberger, C. G. See Tsai, F.-H., 1039B

Pal, M. K.
—; Pal, P. K.: Induction of CD in Some Anionic Dyes by Cationic Chitosan, 751A
Pal, P. K. See Pal, M. K., 751A
Palleschi, A. See Paradossi, G., 921A
Palma, M. U. See Sciortino, F., 1401A
Pandolfo, L. See Guantieri, V., 845A; Tamburro, A. M., 855A
Paner, T. M.
—; Amaratunga, M.; Doktycz, M. J.; Benight, A. S.: Analysis of Melting Transitions of the DNA Hairpins Formed from the Oligomer Sequences d[GGATAC(X)$_4$GTATCC] (X = A, T, G, C), 1715A
Paner, T. M. See Doktycz, M. J., 829B
Paoletti, J. See Bazile, D., 1077A
Paradossi, G.
—; Palleschi, A.; Desideri, A.; Pispisa, B.: Environmental Control of Reactions: Influence of Poly(Glutamate) on the Reactivity of Cysteine-Quaterpyridineiron (III) Mixtures, 921A
Pardi, A. See Kominos, D., 1807A
Park, K. See Fasman, G. D., 123A
Parker, K. H. See Winlove, C. P., 729A
Patel, H. C.
—; Singh, T. P.; Chauhan, V. S.; Kaur, P.: Synthesis, Crystal Structure, and Molecular Conformation of Peptide N-Boc-L-Pro-Dehydro-Phe-L-Gly-OH, 509A
—; See Narula, P., 935A
Paterson, Y. See Collawn, J. F., 1289A

Patkowski, A.
—; Eimer, W.; Dorfmüller, Th.: A Polarized and Depolarized Dynamic Light Scattering Study of the $tRNA^{Phe}$ Conformation in Solution, 93B
—; Eimer, W.; Dorfmüller, Th.: Internal Dynamics of $tRNA^{Phe}$ Studied by Depolarized Dynamic Light Scattering, 975B
—; Eimer, W.; Seils, J.; Schneider, G.; Jockusch, B. M.; Dorfmüller, Th.: The Molecular Dimensions of G-Actin in Solution as Studied by Dynamic Light Scattering, 1281B
—; Seils, J.; Buß, F.; Jockusch, B. M.; Dorfmüller, Th.: Size and Shape Parameter of the Actin-Binding Protein Profilin in Solution: A Depolarized and Polarized Dynamic Light Scattering Study, 219B
—; Seils, J.; Hinssen, H.; Dorfmüller, T.: Size, Shape Parameters, and Ca^{2+}-Induced Conformational Change of the Gelsolin Molecule: A Dynamic Light Scattering Study, 427B
Paul, P. K. C.
—; Dauber-Osguthorpe, P.; Campbell, M. M.; Brown, D. W.; Kinsman, R. G.; Moss, C.; Osguthorpe, D. J.: Accessible Conformations of Melanin-Concentrating Hormone: A Molecular Dynamics Approach, 623A
—; See Brown, D. W., 609A
Pavone, V.
—; Lombardi, A.; Yang, X.; Pedone, C.; Di Blasio, B.: Cyclic β-Alanyl-β-Alanine Containing Peptides: A New Molecular Tool for β-Turned Peptides, 189B
—; See Di Blasio, B., 509B; Grimaldi, M., 197B
Pearlman, D. A.
—; Kollman, P. A.: The Calculated Free Energy Effects of 5-Methyl Cytosine on the B to Z Transition in DNA, 1193A
Pedash, Y. F. See Starikov, E. B., 349B
Pedone, C. See Di Blasio, B., 509B; Grimaldi, M., 197B; Pavone, V., 189B
Peggion, E. See Amonraksa, K., 847B
Peishoff, C. E.
—; Dixon, J. S.; Kopple, K. D.: Application of the Distance Geometry Algorithm to Cyclic Oligopeptide Conformation Searches, 45B
Peng, S. Q. See Urry, D. W., 215B
Pepermans, H. See Verheyden, P., 855B
Perahia, D.
—; Levy, R. M.; Karplus, M.: Motions of an α-Helical Polypeptide: Comparison of Molecular and Harmonic Dynamics, 645A
—; See Mouawad, L., 1151B
Percy, A. J. See Gregory, R. B., 1175A
Perczel, A.
—; Hollósi, M.; Fülöp, V.; Kálmán, A.; Sándor, P.; Fasman, G. D.: Environment-Dependent Conformation of Boc-Pro-Ser-$NHCH_3$, 763B
—; See Hollosi, M., 1549A
Pérez, S. See Tvaroska, I., 369B
Pettitt, B. M. See Van Vlijmen, H. W. Th., 517B
Pieroni, O. See Ciajolo, M. R., 911B; Malcolm, B. R., 1121A
Piriou, J.-M. See Bazile, D., 1077A
Pispisa, B. See Paradossi, G., 921A
Pitchumani, S. See Subramanian, P. S., 771A
Planck, M. See Vorlíčková, M., 385A
Pley, C. See Sam, T., 299B
Plum, G. E.
—; Arscott, P. G.; Bloomfield, V. A.: Condensation of DNA by Trivalent Cations. 2. Effects of Cation Structure, 631B
—; Bloomfield, V. A.: Contribution of Asymmetric Ligand Binding to the Apparent Permanent Dipole Moment of DNA, 1137A
—; Bloomfield, V. A.: Structural and Electrostatic Effects on Binding of Trivalent Cations to Double-Stranded and Single-Stranded Poly[d (AT)], 13A
Poland, D.
On the Kinetics of Oligomer Binding, 1215B
Porschke, D.
—; Nolte, G.: The Optical Anisotropy of Wormlike Chains, 1289B
Porter, L. J. See Cho, D., 57A
Powell, J. W. See Weidlich, T., 477B
Prasad, K. U. See Luan, C.-H., 1699A; Sciortino, F., 1401A
Pratesi, C. R. See Ciajolo, M. R., 911B
Price, H. L. See Wilson, D. H., 357A
Privalov, P. L. See Makhatadze, G. I., 1001B
Probst, M. M. See Anwander, E. H. S., 757A
Procyk, R.
—; King, R. G.: The Elastic Modulus of Fibrin Clots and Fibrinogen Gels: The Effect of Fibronectin and Dithiothreitol, 559A

Quadrifoglio, F. See Manzini, G., 325B

Raj, P. A.
—; Soni, S. D.; Ramasubbu, N.; Bhandary, K. K.; Levine, M. J.: Crystal Structure and Solution Conformation of S,S'-bis(Boc-Cys-Ala-OMe): Intramolecular Antiparallel β-Sheet Conformation of an Acyclic Cystine Peptide, 73B
Ramakrishnan, B. See Soman, J., 533A
Ramakumar, S. See Neela, B. S., 1499A
Ramasubbu, N. See Raj, P. A., 73B
Ramé, G. L. See Van Vlijmen, H. W. Th., 517B
Rao, M. V. R.
—; Atreyi, M.; Saxena, S.: Spermine Induces the B-Z Transition of Poly(dG-dC) in 5% Ethanol and Dioxane, 1495A
Rao, S. N.
—; Kollman, P.: Simulations of the B-DNA Molecular Dynamics of $d(CGCGAATTCGCG)_2$ and $d(GCGCGCGCGC)_2$: An Analysis of the Role of Initial Geometry and a Comparison of United and All-Atom Models, 517A
—; See Cieplak, P., 717A
Rao, V. S. R. See Balaji, P. V., 257B
Ratliff, R. L. See Gray, D. M., 317A

Reboud-Ravaux, M. See Convert, O., 583B
Record, M. T., Jr. See Mazur, S. J., 1329A
Reed, C. E. See Ghosh, S., 1101B; Reed, W. F., 1073B
Reed, W. F.
—; Reed, C. E.; Byers, L. D.: Random Coil Scission Rates Determined by Time Dependent Total Intensity Light Scattering: Hyaluronate Depolymerization by Hyaluronidase, 1073B
—; See Ghosh, S., 1101B
Reiter, J.
—; Epstein, I. R.: Kinetics of Cooperative Ligand–Lattice Binding: Fast Monte Carlo Integration, 543A
Rhyu, G. I. See Robertson, A. D., 461A
Rideout, D.
—; Calogeropoulou, T.; Jaworski, J.; McCarthy, M.: Synergism Through Direct Covalent Bonding Between Agents: A Strategy for Rational Design of Chemotherapeutic Combinations, 247A
Rill, R. L. See Strzelecka, T. E., 803B; Strzelecka, T. E., 57B
Rinaudo, M. See Milas, M., 451B
Ripoll, D. R.
—; Scheraga, H. A.: On the Multiple-Minima Problem in the Conformational Analysis of Polypeptides. IV. Application of the Electrostatically Driven Monte Carlo Method to the 20-Residue Membrane-Bound Portion of Melittin, 165B
Rizo, J. See Stradley, S. J., 263A
Robert, C. H.
A Hierarchical "Nesting" Approach to Describe the Stability of Alpha Helices with Side-Chain Interactions, 335B
Robertson, A. D.
—; Rhyu, G. I.; Westler, W. M.; Markley, J. L.: Assignment of the ^{13}C-NMR Spectra of Virgin and Reactive-Site Modified Turkey Ovomucoid Third Domain, 461A
—; See Shoemaker, K. R., 1A
Rode, B. M. See Anwander, E. H. S., 757A
Rohde, M. F. See Arakawa, T., 1065A
Rokita, S. E.
—; Lau, B.; Romero-Fredes, L.: Structural Dependence of Oligonucleotide Photooxidation, 69A
Romero-Fredes, L. See Rokita, S. E., 69A
Rosenberg, A. See Gregory, R. B., 1175A
Rosenberg, L. C. See Soby, L., 1587A
Rossi, F. See Grimaldi, M., 197B
Rupprecht, A. See Lavalle, N., 877B; Weidlich, T., 477B

Saenger, W. See Balaji, P. V., 257B
Saga, K. See Katakai, R., 815B
Said-Nejad, O. E. See Mierke, D. F., 179A
Saitô, H.
—; Yoshioka, Y.; Yokoi, M.; Yamada, J.: Distinct Gelation Mechanism between Linear and Branched (1→3)-β-D-Glucans as Revealed by High-Resolution Solid-State ^{13}C NMR, 1689A
Sakarellos, C. See Karayannis, T., 423A
Sakarellos-Daitsiotis, M. See Karayannis, T., 423A
Salemme, F. R. See Wasserman, Z. R., 1613A
Sam, T.
—; Pley, C.; Mandel, M.: A Hydrodynamic Study with Quasielastic Light Scattering and Sedimentation of Bacterial Elongation Factor EF-Tu·Guanosine-5′-Diphosphate Complex Under Nonassociating Conditions, 299B
Sándor, P. See Perczel, A., 763B
Sankararamakrishnan, R.
—; Vishveshwara, S.: Conformational Studies on Peptides with Proline in the Right-Handed α-Helical Region, 287B
Sanner, M. See Senn, H., 1387A
Saran, A. See Hosur, R. V., 953A
Sasaki, N. See Shinyashiki, N., 1185A
Sasaki, T.
—; Kaiser, E. T.: Synthesis and Structural Stability of Helichrome as an Artificial Hemeproteins, 79A
Sasisekharan, V. See Dasgupta, D., 223B
Sato, T. See Hirao, T., 1867A
Saviano, M. See Di Blasio, B., 509B; Grimaldi, M., 197B
Savoie, R. See Langlais, M., 743B
Saxena, S. See Rao, M. V. R., 1495A
Saxena, V. K. See Van Zandt, L. L., 87B
Schabtach, E. See Griffith, O. H., 1491A
Schaeffer, F. See Yeramian, E., 481B
Schaumann, T.
—; Braun, W.; Wüthrich, K.: The Program FANTOM for Energy Refinement of Polypeptides and Proteins Using a Newton–Raphson Minimizer in Torsion Angle Space, 679A
Schaumann, Th. See Billeter, M., 695A
Schellman, J. A.
Fluctuation and Linkage Relations in Macromolecular Solution, 215A
Scheraga, H. A. See Altmann, K.-H., 107B; Grant, J. A., 929B; Ripoll, D. R., 165B; Wójcik, J., 121B; Zagari, A., 951B, 961B, 967B
Schiller, P. W. See Mierke, D. F., 179A, 943A; Wilkes, B. C., 89A
Schleich, T. See Morgan, C. F., 469A, 501A
Schlesinger, D. H. See Fasman, G. D., 123A
Schmieder, P. See Kessler, H., 465B
Schneider, G. See Patkowski, A., 1281B
Schultz, D. A. See Shoemaker, K. R., 1A
Schumaker, M. F.
—; Epstein, I. R.: The Irreversible Binding of 2-Site Ligands to Heterogeneous Polymers, 1331A
Schurr, J. M.
—; Smith, S. B.: Theory for the Extension of a Linear Polyelectrolyte Attached at One End in an Electric Field, 1161A
Schurr, J. M. See Song, L., 1773A, 229B; Wu, P., 1211A

Sciortino, F.
—; Urry, D. W.; Palma, M. U.; Prasad, K. U.: Self-Assembly of a Bioelastomeric Structure: Solution Dynamics and the Spinodal and Coacervation Lines, 1401A
Scopa, A. See Tamburro, A. M., 855A
Seils, J.
—; Jockusch, B. M.; Dorfmuller, Th.: Dynamics of F-Actin and F-Actin/Filamin Networks as Studied by Photon Correlation Spectroscopy, 677B
—; See Patkowski, A., 219B, 427B, 1281B
Sellen, D. B. See Attwood, T. K., 1325A
Senn, H.
—; Loosli, H.-R.; Sanner, M.; Braun, W.: Conformational Studies of Cyclic Peptide Structures in Solution from ^{1}H-Nmr Data by Distance Geometry Calculation and Restrained Energy Minimization, 1387A
Serdyuk, I. N. See Timchenko, A. A., 303A
Serwer, P. See Griess, G. A., 1277A, 1863A
Shi, X. See Milas, M., 451B
Shibata, M. See Zielinski, T. J., 1027A
Shindo, Y.
—; Nishio, M.: The Effect of Linear Anisotropies on the CD Spectrum: Is It True That the Oriented Polyvinyalcohol Film Has a Magic Chiral Domain Inducing Optical Activity in Achiral Molecules? 25B
—; Nishio, M.; Maeda, S.: Problems of CD Spectrometers (V): Can We Measure CD and LD Simultaneously? Comments on Differential Polarization Microscopy (CD and Linear Dichroism), 405B
Shinyashiki, N.
—; Asaka, N.; Mashimo, S.; Yagihara, S.; Sasaki, N.: Microwave Dielectric Study on Hydration of Moist Collagen, 1185A
Shoemaker, K. R.
—; Fairman, R.; Schultz, D. A.; Robertson, A. D.; York, E. J.; Stewart, J. M.; Baldwin, R. L.: Side-Chain Interactions in the C-Peptide Helix: Phe 8 · · · His 12^+, 1A
Simmons, J. H. See Doyle, M. L., 1129A
Simonetti, M. See Amonraksa, K., 847B
Singh, T. P. See Narula, P., 935A; Patel, H. C., 509A
Smith, S. B.
—; Bendich, A. J.: Electrophoretic Charge Density and Persistence Length of DNA as Measured by Fluorescence Microscopy, 1167A
—; See Schurr, J. M., 1161A
Snell, S. M. See Marini, M. A., 871A
Snow, M. E. See Crippen, G. M., 1479A
Soby, L.
—; Jamieson, A. M.; Blackwell, J.; Choi, H. U.; Rosenberg, L. C.: Viscoelastic and Rheological Properties of Concentrated Solutions of Proteoglycan Subunit and Proteoglycan Aggregate, 1587A
Soby, L. M.
—; Jamieson, A. M.; Blackwell, J.; Jentoft, N.: Viscoelastic Properties of Solutions of Ovine Submaxillary Mucin, 1359A
Sokoloff, J. B.
Theory of Acoustic Mode Vibrations of DNA Fibers, 555B
Soman, J.
—; Vijayan, M.; Ramakrishnan, B.; Guru Row, T. N.: X-Ray Studies on Crystalline Complexes Involving Amino Acids and Peptides. XVII. Chirality and Molecular Aggregation: The Crystal Structures of DL-Arginine DL-Glutamate Monohydrate and DL-Arginine DL-Aspartate, 533A
Song, L.
—; Allison, S. A.; Schurr, J. M.: Normal Mode Theory for the Brownian Dynamics of a Weakly Bending Rod: Comparison with Brownian Dynamics Simulations, 1773A
—; Schurr, J. M.: Dynamic Bending Rigidity of DNA, 229B
—; See Wu, P., 1211A
Soni, S. D. See Raj, P. A., 73B
Soumpasis, D. M. See Klement, R., 1089A
Spiro, T. G. See Grygon, C. A., 707A
Srinivasan, J. V. See Naider, F., 237A
Stammer, C. H. See Mapelli, C., 407A
Starikov, E. B.
—; Pedash, Y. F.: Theoretical Analysis of Deoxycytidine-5′-Phosphate Protonation, 349B
Steiner, R. F.
—; Albaugh, S.: The Interaction of Cyclosporin and Calmodulin, 1005A
—; See Garone, L., 1139B
Stellwagen, A.
—; Stellwagen, N. C.: Anomalously Slow Electrophoretic Mobilities of DNA Restriction Fragments in Polyacrylamide Gels Are Not Eliminated by Increasing the Gel Pore Size, 309B
Stellwagen, N. C. See Stellwagen, A., 309B
Stewart, J. M. See Shoemaker, K. R., 1A
Stokke, B. T.
—; Brant, D. A.: The Reliability of Wormlike Polysaccharide Chain Dimensions Estimated from Electron Micrographs, 1161B
Stradley, S. J.
—; Rizo, J.; Bruch, M. D.; Stroup, A. N.; Gierasch, L. M.: Cyclic Pentapeptides as Models for Reverse Turns: Determination of the Equilibrium Distribution Between Type I and Type II Conformations of Pro-Asn and Pro-Ala β-Turns, 263A
Strickland, J. A.
—; Marzilli, L. G.; Wilson, W. D.: Binding of *meso*-Tetrakis(*N*-Methylpyridiniumyl)Porphyrin Isomers to DNA: Quantitative Comparison of the Influence of Charge Distribution and Copper (II) Derivatization, 1307A
Strommen, D. P. See Nonaka, Y., 999A
Stroup, A. N. See Stradley, S. J., 263A
Strzelecka, T. E.
—; Rill, R. L.: A ^{23}Na-NMR Study of Sodium–DNA Interactions

in Concentrated DNA Solutions at Low-Supporting Electrolyte Concentration, 803B
—; Rill, R. L.: Phase Transitions of Concentrated DNA Solutions in Low Concentrations of 1 : 1 Supporting Electrolyte, 57B
Subirana, J. A.
Analysis of the Charge Distribution in the C-Terminal Region of Histone H1 as Related to Its Interaction with DNA, 1351A
Subramanian, P. S.
—; Pitchumani, S.; Beveridge, D. L.; Berman, H. M.: A Monte Carlo Simulation Study of the Aqueous Hydration of $r(GpC)_2$: Comparison with Crystallographic Ordered Water Sites, 771A
Suga, H. See Hirao, T., 1867A
Sussman, J. L. See Unger, R., 499B
Sutherland, J. C. See Gray, D. M., 317A; Johnson, K. H., 325A
Swanson, S. M. See Geller, M., 781B
Swenberg, C. E.
—; Carberry, S. E.; Geacintov, N. E.: Linear Dichroism Characteristics of Ethidium- and Proflavine-Supercoiled DNA Complexes, 1735A

Taga, T.
—; Itoh, M.; Machida, K.; Fujita, T.; Ichihara, T.: Structure of Benzyloxycarbonyl-L-alanyl-α-Aminoisobutyl-α-Aminoisobutylic Acid, 1057A
Tajmir-Riahi, H. A. See Langlais, M., 743B
Takeda, Y.
X-Ray Diffraction Studies on the Cross-β Form of Poly (O-benzyl-L-Serine), 1125A
Tallon, M. See Naider, F., 237A
Tamburro, A. M.
—; Guantieri, V.; Pandolfo, L.; Scopa, A.: Synthetic Fragments and Analogues of Elastin. II. Conformational Studies, 855A
—; See Guantieri, V., 845A
Tanpipat, N.
—; Mattice, W. L.: Range of the Influence of the Carbohydrate Moiety on the Conformation of the Poly(Amino Acid) Backbone in Glycosylated Mucins, 377A
Tapia, O. See Åqvist, J., 205B
Teixeira, J. See Guo, X. H., 335A
Teleman, O.
—; von der Lieth, C.-W.: Molecular Dynamics Simulation Provides a Possible Structure for Substance P-Like Peptides in Aqueous Solution, 13B
Teramoto, A. See Hirao, T., 1867A
Texter, J.
Saturation Photodimerization of Thymines in DNA, 797B
Thomas, G. J., Jr. See Lamba, O. P., 1465A
Thomasson, K. A.
—; Applequist, J.: Bond-Optimized Ring Closure for Proline: Comparison of Conformations and Semiempirical Energies with Small Molecule X-ray Structures, 437B
Timchenko, A. A.
—; Griko, N. B.; Serdyuk, I. N.: Resolution Power of Regularization Algorithm for Binary Systems in Dynamic Light Scattering, 303A
Ting, K. L. See Ben-Naim, A., 901A
Tinoco, I., Jr. See Davis, P. W., 109A
Toniolo, C. See Crisma, M., 1B
Trach, S. O. See Zimmerman, S. B., 703B
Tran, V. See French, A. D., 1599A
Tran, V. H.
—; Brady, J. W.: Disaccharide Conformational Flexibility. I. An Adiabatic Potential Energy Map for Sucrose, 961A
—; Brady, J. W.: Disaccharide Conformational Flexibility. II. Molecular Dynamics Simulations of Sucrose, 977A
Tsai, F.-H.
—; Overberger, C. G.; Zand, R.: Synthesis and Peptide Bond Orientation in Tetrapeptides Containing L-Azetidine-2-carboxylic Acid and L-Proline, 1039B
Tumanyan, V. G. See Eisenhaber, F., 1453A, 563B
Tuzi, A. See Ciajolo, M. R., 911B
Tvaroska, I.
—; Imberty, A.; Pérez, S.: Solvent Effect on the Stability of Isomaltose Conformers, 369B
Tvaroška, I. See Kožár, T., 1531A

Uma, K. See Karle, I. L., 1433A, 1835A, 719B
Umehara, T.
—; Kuwabara, S.; Mashimo, S.; Yagihara, S.: Dielectric Study on Hydration of B-, A-, and Z-DNA, 649B
Unger, R.
—; Harel, D.; Wherland, S.; Sussman, J. L.: Analysis of Dihedral Angles Distribution: The Doublets Distribution Determines Polypeptides Conformations, 499B
Urry, D. W.
—; Peng, S. Q.; Hayes, L.; Jaggard, J.; Harris, R. D.: A New Mechanism of Mechanochemical Coupling: Stretch-Induced Increase in Carboxyl pK_a as a Diagnostic, 215B
—; Luan, C.-H., 1699A; Sciortino, F., 1401A

Vajda, S.
Determining Minimum Energy Conformations of Polypeptides by Dynamic Programming, 1755A
Valle, G. See Crisma, M., 1B
Van Binst, G. See Verheyden, P., 855B
van Genderen, M. H. P. See Moody, M. R., 609B
van Gunsteren, W. F. See Lautz, J., 1669A
Van Halbeek, H. See Mapelli, C., 407A
Van Vlijmen, H. W. Th.
—; Ramé, G. L.; Pettitt, B. M.: A Study of Model Energetics and Conformational Properties of Polynucleotide Triplexes, 517B
Van Zandt, L. L.
—; Saxena, V. K.: Determination of Eigenvectors in DNA Polymer Spectroscopy by Isotopic Substitution, 87B
Varma, B. K.
—; Demers, A.; Jamieson, A. M.; Blackwell, J.; Jentoft, N.: Light Scattering Studies of the Effect of Ca^{2+} on the Structure of

Porcine Submaxillary Mucin, 441A
Vásquez, M. See Altmann, K.-H., 107B
Vaughan, M. R. See Gray, D. M., 317A
Venyaminov, S. Yu.
—; Kalnin, N. N.: Quantitative Infrared Spectrophotometry of Peptide Compounds in Water (H_2O) Solutions. I. Spectral Parameters of Amino Acid Residue Absorption Bands, 1243B
—; Kalnin, N. N.: Quantitative Infrared Spectrophotometry of Peptide Compounds in Water (H_2O) Solutions. II. Amide Absorption Bands of Polypeptides in α-, β- and Random Coil Conformations, 1259B
—; See Kalnin, N. N., 1273B
Verheyden, P.
—; Francq, W.; Pepermans, H.; Van Binst, G.: Conformational Study of a Somatostatin Analogue in DMSO/Water by 2D NMR, 855B
Vijayan, M. See Soman, J., 533A
Vishveshwara, S. See Sankararamakrishnan, R., 287B
Viswamitra, M. A. See Neela, B. S., 1499A
Vitrano, E. See Cordone, L., 639A
von der Lieth, C.-W. See Teleman, O., 13B
Vorlíčková, M.
—; Kypr, J.; Jovin, T. M.; Planck, M.: CD of the Synthetic RNA Duplexes Poly[r(A-T)] and Poly[r(A-U)] in Salt and Ethanolic Solutions, 385A
Vorobjev, Yu. N.
Block-Units Method for Conformational Calculations of Large Nucleic Acid Chains. I. Block-Units Approximation of Atomic Structure and Conformational Energy of Polynucleotides, 1503A
Vorobjev, Yu. N.
Block-Units Method for Conformational Calculations of Large Nucleic Acid Chains. II. The Two-Hierarchical Approach and Its Application to Conformational Arrangement of the Unusual TψC Loop of Rabbit $tRNA^{Val}$, 1519A

Wakselman, M. See Convert, O., 583B
Wallace, D. G.
The Relative Contribution of Electrostatic Interactions to Stabilization of Collagen Fibrils, 1015A
The Role of Extrahelical Peptides in Stabilization of Collagen Fibrils, 889B
Walters, L. See Dev, S. B., 289A
Wang, Z. See Chu, B., 737A; Wu, C., 491A
Wanikawa, K. See Katakai, R., 815B
Ward, N. E. See O'Brian, C. A., 97A
Wasserman, Z. R.
—; Salemme, F. R.: A Molecular Dynamics Investigation of the Elastomeric Restoring Force in Elastin, 1613A
Weaver, J. L.
—; Williams, R. W.: Amide III Frequencies for Ala-X Peptides Depend on the X Amino Acid Size, 593B
—; Williams, R. W., 599B
Weber, H.-P. See Lautz, J., 1669A
Weidlich, T.
—; Powell, J. W.; Genzel, L.; Rupprecht, A.: Counterion Effects on the Far-IR Vibrational Spectra of Poly(rI)·Poly(rC), 477B
Weinberger, S. See Itzhaki, L., 481A
Wenger, R. M. See Lautz, J., 1669A
Wesson, M. See Eisenberg, D., 171A
Westler, W. M. See Robertson, A. D., 461A
Wherland, S. See Unger, R., 499B
White, P. D. See Brown, D. W., 609A
Wilkes, B. C.
—; Schiller, P. W.: Conformation-Activity Relationships of Cyclic Dermorphin Analogues, 89A
Williams, D. E.
Alanyl Dipeptide Potential-Derived Net Atomic Charges and Bond Dipoles, and Their Variation with Molecular Conformation, 1367A
Williams, R. L. See Grant, J. A., 929B
Williams, R. W.
—; Weaver, J. L.; Lowrey, A. H.: Relation between Calculated Amide Frequencies and Solution Structure in Ala-X Peptides, 599B
—; See Weaver, J. L., 593B
Williamson, M. P.
Secondary-Structure Dependent Chemical Shifts in Proteins, 1423A
Wilson, D. H.
—; Price, H. L.; Henderson, J.; Hanlon, S.; Benight, A. S.: Structure and Dynamics of M13mp19 Circular Single-Strand DNA: Effects of Ionic Strength, 357A
Wilson, R. H. See Goodfellow, B. J., 1183B
Wilson, S. R.
—; Cui, W.: Applications of Simulated Annealing to Peptides, 225A
Wilson, W. D. See Hopkins, H. P., Jr., 449A; Strickland, J. A., 1307A
Winlove, C. P.
—; Parker, K. H.: Influence of Solvent Composition on the Mechanical Properties of Arterial Elastin, 729A
Wójcik, J.
—; Altmann, K.-H.; Scheraga, H. A.: Helix–Coil Stability Constants for the Naturally Occurring Amino Acids in Water. XXIV. Half-Cystine Parameters from Random Poly(Hydroxybutylglutamine-co-S-Methylthio-L-Cysteine), 121B
—; See Altmann, K.-H., 107B
Wolynes, P. G. See Bryngelson, J. D., 177B
Wong, C. F. See Zheng, C., 1877A
Wong, P. T. T. See Carrier, D., 837A
Woody, R. W. See Cooper, T. M., 657B
Woolley, G. A. See Deber, C. M., 149A
Wu, C.
—; Wang, Z.; Chu, B.: Electrophoresis and Movements of Fluorescence Pattern After Photobleaching

of Large DNA Fragments in Agarose Gels, 491A

Wu, C.-S. C.
—; Yang, J. T.: Thermal Unfolding of Helices of a C-Peptide Analogue of Ribonuclease A in Sodium Dodecyl Sulfate Solution, 381B

Wu, P.
—; Song, L.; Schurr, J. M.: Intramolecular Interference Effects in Dynamic Light Scattering: Rigid Double Spirals and Superhelical DNAs, 1211A

Wüthrich, K. See Billeter, M., 695A; Schaumann, T., 679A

Xodo, L. See Manzini, G., 325B
Xu, R. See Chu, B., 737A
Xue, C.-B. See Naider, F., 237A

Yagihara, S. See Shinyashiki, N., 1185A; Umehara, T., 649B
Yamada, J. See Saitô, H., 1689A
Yamaguchi, T. See Yanaki, T., 415B

Yan, Z.-Y.
—; Bush, C. A.: Molecular Dynamics Simulations and the Conformational Mobility of Blood Group Oligosaccharides, 799A

Yanaki, T.
—; Yamaguchi, T.: Temporary Network Formation of Hyaluronate Under a Physiological Condition. 1. Molecular-Weight Dependence, 415B

Yang, J. T. See Wu, C.-S. C., 381B
Yang, X. See Pavone, V., 189B
Yaron, A. See Naider, F., 237A

Yeramian, E.
—; Schaeffer, F.; Caudron, B.; Claverie, P.; Buc, H.: An Optimal Formulation of the Matrix Method in Statistical Mechanics of One-Dimensional Interacting Units: Efficient Iterative Algorithmic Procedures, 481B

Yokoi, M. See Saitô, H., 1689A
Yon, J. M. See Mouawad, L., 1151B
York, E. J. See Shoemaker, K. R., 1A
Yoshioka, Y. See Saitô, H., 1689A

Zagari, A.
—; Némethy, G.; Scheraga, H. A.: The Effect of the L-azetidine-2-carboxylic Acid Residue on Protein Conformation. I. Conformations of the Residue and of Dipeptides, 951B
—; Némethy, G.; Scheraga, H. A.: The Effect of the L-azetidine-2-carboxylic Acid Residue on Protein Conformation. II. Homopolymers and Copolymers, 961B
—; Némethy, G.; Scheraga, H. A.: The Effect of the L-azetidine-2-carboxylic Acid Residue on Protein Conformation. III. Collagen-Like Poly(tripeptide)s, 967B

Zand, R. See Tsai, F.-H., 1039B
Zanotti, G. See Di Blasio, B., 509B
Zegna, A. I. See Marini, M. A., 871A

Zetta, L.
—; Consonni, R.; De Marco, A.: Opioid Peptides in Micellar Systems: Conformational Analysis by CD and by 1D- and 2D ^{1}H-NMR Spectroscopy, 899B

Zhang, P.
—; Armstrong, R. N.: Construction, Expression, and Preliminary Characterization of Chimeric Class μ Glutathione S-Transferases with Altered Catalytic Properties, 159A

Zhao, N. M. See Guo, X. H., 335A

Zheng, C.
—; Wong, C. F.; McCammon, J. A.: Fluctuation of the Solvent-Accessible Surface Area of Tuna Ferrocytochrome c, 1877A

Zhong, L.
—; Johnson, W. C., Jr.: Poly[d(Gm^5C)·d(Gm^5C)] Can Assume the Z′ Form: A CD Study, 821B

Zhou, G. See Ho, P. S., 151B

Zielinski, T. J.
—; Shibata, M.: A Molecular Dynamics Simulation of the $(dG)_6 \cdot (dC)_6$ Minihelix Including Counterions and Water, 1027A

Zimmerman, S. B.
—; Trach, S. O.: Excluded Volume Effects on the Partition of Macromolecules Between Two Liquid Phases, 703B

Zinkel, S. S.
—; Crothers, D. M.: Comparative Gel Electrophoresis Measurement of the DNA Bend Angle Induced by the Catabolite Activator Protein, 29A